


Nordent has a complete line of instruments for every procedure—**endodontic, cavity preparation, amalgam, composite restoration and crown & bridge procedures.**

Our restorative product line features only the highest quality German hinged instruments and the finest quality non-hinged instruments made in the U.S.A. All Nordent restorative instruments carry a lifetime guarantee against breakage, misalignment and corrosion.

RESTORATIVE INSTRUMENTS

| | |
|--------------------------------|-------|
| ENDODONTIC | 2-4 |
| EXCAVATORS | 5-7 |
| BASE LINER PLACEMENT | 7 |
| CAVITY PREPARATION | 8-9 |
| COMPOSITE PLACEMENT-TIN COATED | 10-12 |
| ADVANCED ESTHETIC RESTORATIONS | 13-14 |
| COMPOSITE PLACEMENT-STAINLESS | 15 |
| AMALGAM INSTRUMENTS | 16-21 |
| CROWN & BRIDGE | 22-23 |
| LAB CARVERS/SPATULAS | 24 |
| ORTHODONTIC | 25 |



ENDODONTIC INSTRUMENTS

Endodontic explorers have a long tip with a sharp point that is used to locate the opening of small canals during endodontic procedures. Nordent endodontic explorers are made of spring tempered stainless steel so they retain their shape and resist breakage.

Explorers



DG16 Both tips are 16 mm in length and set at different angles of 45° and 70°.

| | | | |
|-------------------|---|------------------------------|----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEX16 (shown) | <input type="radio"/> REEX16 | <input type="radio"/> EX16 |
|-------------------|---|------------------------------|----------------------------|



DG16-23 Combines a 16 mm long straight tip set at a 70° angle with a Shepherd's Hook Explorer.

| | | | |
|-------------------|--|---------------------------------|-------------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEX16-23 (shown) | <input type="radio"/> REEX16-23 | <input type="radio"/> EX16-23 |
|-------------------|--|---------------------------------|-------------------------------|

Locking Pliers

Locking pliers are used to grasp and lock materials for easier handling. Nordent locking pliers have slender blades for precise handling and are made of hardened stainless steel so they retain blade alignment longer.



Locking College Pliers #3 With grooved tips (6"/150 mm). DP3

Root Canal Pluggers

Nordent endodontic plugger tips are made from spring-tempered stainless steel wire for maximum durability and used to vertically condense gutta-percha within the canal. The working ends have flat ends with specific diameters measured at 1 mm (D1) and 16 mm (D16) from the tip to correspond to the size of the canal.



5-7 The working ends are 21 mm long with a .02 mm taper. #5 (D1=0.58 mm / D16=1.2 mm) #7 (D1=0.76 mm / D16=1.2 mm).

| | | | |
|-------------------|--|-------------------------------|-----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEN5-7 (shown) | <input type="radio"/> REEN5-7 | <input type="radio"/> EN5-7 |
|-------------------|--|-------------------------------|-----------------------------|



9-11 The working ends are 21 mm long. #9 (D1=0.96 mm / D16=1.27 mm with a .02 mm taper) #11 (D1=1.2 mm / D16=1.27 mm).

| | | | |
|-------------------|---|--------------------------------|------------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEN9-11 (shown) | <input type="radio"/> REEN9-11 | <input type="radio"/> EN9-11 |
|-------------------|---|--------------------------------|------------------------------|




Glick #1 The plugger has markings at 5 mm and 10 mm. It can be used to condense gutta-percha and can be heated to sever excess gutta-percha. The paddle is used to place materials.

| | | | |
|-------------------|---|------------------------------|----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEENG1 (shown) | <input type="radio"/> REENG1 | <input type="radio"/> ENG1 |
|-------------------|---|------------------------------|----------------------------|

ENDODONTIC INSTRUMENTS

NiTi Spreaders



Nordent endodontic spreader tips are made of Nickel Titanium (NiTi), a "shape memory" alloy discovered at the Naval Ordnance Laboratory in 1962. NiTi has proven to be a perfect material for endodontic spreaders because it enables the very fine tips to access curved canals without distortion or breakage. They are extremely flexible and return to their original shape after use.

Nordent endodontic spreaders have a .04 mm taper and are used to laterally condense gutta-percha within the canal. The working ends have pointed tips with specific diameters measured at 1 mm (D1) and 16 mm (D16) from the tip to correspond to the size of the canal.



#4SP The working end is 21 mm long. D1=0.28 mm D16=1.14 mm

Handle Selection:

☒ CEEN4SP (shown)

☐ REEN4SP

☐ EN4SP



#D11

The working end is 21 mm long.
D1=0.30 mm D16=0.91 mm

Handle Selection:

☒ CEEND11 (shown)

☐ REEND11

☐ END11



#D11T

The working end is 21 mm long.
D1=0.25 mm D16=0.86 mm

Handle Selection:

☒ CEEND11T (shown)

☐ REEND11T

☐ END11T



#D11T25

The working end is 25 mm long.
D1=0.23 mm D16=0.84 mm

Handle Selection:

☒ CEEND11T25 (shown)

☐ REEND11T25

☐ END11T25



#MA5728

The working end is 28 mm long. D1=0.28 mm D16=0.87 mm

Handle Selection:

☒ CEENMA5728 (shown)

☐ REENMA5728

☐ ENMA5728



#MA5730

The working end is 30 mm long. D1=0.28 mm D16=0.87 mm

Handle Selection:

☒ CEENMA5730 (shown)

☐ REENMA5730

☐ ENMA5730

ENDODONTIC INSTRUMENTS

Excavators

Nordent endodontic excavators have extra-long terminal shanks to reach deep into the cavity preparation. All are made of high-carbon stainless steel that is formed and precision ground by expert craftsmen, then hardened for the ultimate in sharp edge retention and durability.



#11L The spoon shape blade diameter is 1.2 mm. The terminal shank is 14 mm long and set at a 45° angle to the center line of the handle.

| | | | |
|-------------------|--|-------------------------------|-----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEC11L (shown) | <input type="radio"/> REEC11L | <input type="radio"/> EC11L |
|-------------------|--|-------------------------------|-----------------------------|



#12L The spoon shape blade diameter is 1.6 mm. The terminal shank is 14 mm long and set at a 45° angle to the center line of the handle.

| | | | |
|-------------------|--|-------------------------------|-----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEC12L (shown) | <input type="radio"/> REEC12L | <input type="radio"/> EC12L |
|-------------------|--|-------------------------------|-----------------------------|



#31L The elongated spoon shape blade width is 1.6 mm. The terminal shank is 15 mm long and set at a 50° angle to the center line of the handle.

| | | | |
|-------------------|--|-------------------------------|-----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEC31L (shown) | <input type="radio"/> REEC31L | <input type="radio"/> EC31L |
|-------------------|--|-------------------------------|-----------------------------|



#31LR The spoon shape blade diameter is 1.0 mm. The terminal shank is 13 mm long and set at a 60° angle to the center line of the handle.

| | | | |
|-------------------|---|--------------------------------|------------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEC31LR (shown) | <input type="radio"/> REEC31LR | <input type="radio"/> EC31LR |
|-------------------|---|--------------------------------|------------------------------|



#32L The spoon shape blade diameter is 1.6 mm. The curved terminal shank is 15 mm long and set at a 60° angle to the center line of the handle.

| | | | |
|-------------------|--|-------------------------------|-----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEC32L (shown) | <input type="radio"/> REEC32L | <input type="radio"/> EC32L |
|-------------------|--|-------------------------------|-----------------------------|



#33L The spoon shape blade diameter is 2.0 mm. The curved terminal shank is 15 mm long and set at a 60° angle to the center line of the handle.

| | | | |
|-------------------|--|-------------------------------|-----------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEC33L (shown) | <input type="radio"/> REEC33L | <input type="radio"/> EC33L |
|-------------------|--|-------------------------------|-----------------------------|

CAVITY PREPARATION INSTRUMENTS

Excavators are used in the removal of carious dentin. Nordent offers a complete selection of "spoon" and "blade" excavators in a wide range of blade widths and shank lengths for any application. All are made of high-carbon stainless steel that is formed and precision ground by expert craftsmen, then hardened for the ultimate in sharp edge retention and durability.

Excavators – Standard ShankSpoons

Standard shank spoon excavators have a terminal shank length of 6 mm set at a 50° angle to the center line of the handle.



Spoon #1S 1.0 mm diameter. This excavator is also known as the #38-39.

Handle Selection: ☒ CEEC1S ☐ REEC1S (shown) ☐ EC1S



Spoon #1

1.2 mm diameter. This excavator is also known as the #17.

Handle Selection: ☒ CEEC1 ☐ REEC1 ☐ EC1



Spoon #2

1.6 mm diameter. This excavator is also known as the #18.

Handle Selection: ☒ CEEC2 ☐ REEC2 ☐ EC2



Spoon #3

2.0 mm diameter. This excavator is also known as the #19.

Handle Selection: ☒ CEEC3 ☐ REEC3 ☐ EC3



Spoon #4

2.4 mm diameter. This excavator is also known as the #20.

Handle Selection: ☒ CEEC4 ☐ REEC4 ☐ EC4



Excavators – Long ShankSpoons

Long shank spoon excavators have a terminal shank length of 10 mm set at a 53° angle to the center line of the handle.



Spoon #11S 1.0 mm diameter.

Handle Selection: ☒ CEEC11S ☐ REEC11S (shown) ☐ EC11S



Spoon #11

1.2 mm diameter.

Handle Selection: ☒ CEEC11 ☐ REEC11 ☐ EC11



Spoon #12

1.6 mm diameter.

Handle Selection: ☒ CEEC12 ☐ REEC12 ☐ EC12



Spoon #13

2.0 mm diameter.

Handle Selection: ☒ CEEC13 ☐ REEC13 ☐ EC13



Spoon #14

2.4 mm diameter.

Handle Selection: ☒ CEEC14 ☐ REEC14 ☐ EC14



CAVITY PREPARATION INSTRUMENTS

Excavators – English Pattern Spoons



Spoon #125-126 2.5 mm diameter and a terminal shank angle of 33°.

| | | | |
|-------------------|--|---|---------------------------------|
| Handle Selection: | <input checked="" type="radio"/> CEEC125-126 | <input type="radio"/> REEC125-126 (shown) | <input type="radio"/> EC125-126 |
|-------------------|--|---|---------------------------------|



Spoon #127-128 2.0 mm diameter and a terminal shank angle of 33°.

| |
|--|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC127-128 |
| <input type="radio"/> REEC127-128 |
| <input type="radio"/> EC127-128 |



Spoon #129-130 1.7 mm diameter and a terminal shank angle of 28°.

| |
|--|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC129-130 |
| <input type="radio"/> REEC129-130 |
| <input type="radio"/> EC129-130 |



Spoon #131-132 1.4 mm diameter and a terminal shank angle of 28°.

| |
|--|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC131-132 |
| <input type="radio"/> REEC131-132 |
| <input type="radio"/> EC131-132 |



Spoon #133-134 0.9 mm diameter and a terminal shank angle of 32°.

| |
|--|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC133-134 |
| <input type="radio"/> REEC133-134 |
| <input type="radio"/> EC133-134 |



Spoon #153-154 1.0 mm diameter and a terminal shank angle of 38°.

| |
|--|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC153-154 |
| <input type="radio"/> REEC153-154 |
| <input type="radio"/> EC153-154 |



Spoon #155-156 0.9 mm diameter and a terminal shank angle of 32°.

| |
|--|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC155-156 |
| <input type="radio"/> REEC155-156 |
| <input type="radio"/> EC155-156 |

Excavators – Blades

Blade excavators have elongated blades with parallel sides and rounded tips. Blades are set at an angle to the center line of the handle as indicated below.



Blade #15 Blade width 1.0 mm, length 6 mm, angle of 55°.

| |
|---|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC15 |
| <input type="radio"/> REEC15 |
| <input type="radio"/> EC15 |



Blade #16 Blade width 1.2 mm, length 7 mm, angle of 55°.

| |
|---|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC16 |
| <input type="radio"/> REEC16 |
| <input type="radio"/> EC16 |



Blade #17L Blade width 1.8 mm, length 8 mm, angle of 47°.

| |
|--|
| Handle Selection: |
| <input checked="" type="radio"/> CEEC17L |
| <input type="radio"/> REEC17L |
| <input type="radio"/> EC17L |

CAVITY PREPARATION INSTRUMENTS

Excavators – Anterior Spoons

Anterior spoon excavators have short terminal shanks and shank angles that are specifically designed for anterior access. The spoon diameters are all 1.2 mm.



Spoon #5 Terminal shank length is 4 mm set at 50° angle.

Handle Selection: ☒ CEEC5 ☐ REEC5 ☐ EC5



Spoon #6 Terminal shank length is 3 mm set at a 65° angle.

Handle Selection: ☒ CEEC6 ☐ REEC6 ☐ EC6



Spoon #7 Terminal shank length is 3 mm set at 50° angle.

Handle Selection: ☒ CEEC7 ☐ REEC7 ☐ EC7



Back Action Spoon #8 Terminal shank length is 3.5 mm set at a 85° angle.

Handle Selection: ☒ CEEC8 ☐ REEC8 ☐ EC8

Placement Instruments

Placement instruments are used to deliver and place liner and base materials within the cavity preparation. The placement ball tip has a 0.8 mm diameter.



Placement Instrument #1 Single end with a 6.5 mm reach.

Handle Selection: ☒ CECHP1 ☐ RECHP1 (shown) ☐ CHP1



Placement Instrument #2 Single end with a 16 mm reach.

Handle Selection: ☒ CECHP2 ☐ RECHP2 (shown) ☐ CHP2



Placement Instrument #3

Double-end combination has a short 6.5 mm reach and long 16 mm reach tips. Also known as “PICH” placement instrument.

Handle Selection: ☒ CECHP3 ☐ RECHP3 (shown) ☐ CHP3



Spatula – Placement Instrument #4 Combines a short 6.5 mm reach placement tip with a very thin and flexible mixing spatula. The spatula width tapers from 6 mm to 4.5 mm at the tip and is 20 mm in length. This is a very convenient combination.

Handle Selection: ☒ CECHP4 ☐ RECHP4 (shown) ☐ CHP4



Spatula – Placement Instrument #5 Combines a long 16 mm reach placement tip with a very thin and flexible mixing spatula. The spatula width tapers from 6 mm to 4.5 mm at the tip and is 20 mm in length. This is a very convenient combination.

Handle Selection: ☒ CECHP5 ☐ RECHP5 (shown) ☐ CHP5

CAVITY PREPARATION INSTRUMENTS


Margin Trimmers

The instruments on this page are used to smooth and refine the cavity preparation. Each is produced according to the specific Black's Formula [shown in brackets] for each instrument.




#26 [13-95-8-14]

Handle Selection: ● MT26



#28 [10-95-7-14]

Handle Selection: ● MT28



#77-78 [15-95-8-12]

Handle Selection: ● MT77-78




#27 [13-80-8-14]

Handle Selection: ● MT27



#29 [10-80-7-14]

Handle Selection: ● MT29




#79-80 [15-80-8-12]

Handle Selection: ● MT79-80

Black's Formula


Dr. G. V. Black evolved an instrument formula by which instruments could be readily duplicated anywhere, as detailed in the charts below. Black's Formula became the acceptable method of standardization for cavity preparation instruments and continues to be used by dental schools world-wide. You will find the Black's Formula in [brackets] for the cavity preparation instruments on the next page.



3 Number Formula

example: [13-8-14]

- The first number represents the width of the blade in tenths of a millimeter.
- The second number represents the length of the blade.
- The third number represents the angle of the blade in a 100° circle.



4 Number Formula

example: [13-95-8-14]

- The first number represents the width of the blade in tenths of a millimeter.
- The second number represents the angle of the cutting edge in a 100° circle.
- The third number represents the length of the blade.
- The fourth number represents the angle of the blade in a 100° circle.

CAVITY PREPARATION INSTRUMENTS

Wedelstandt Chisels



#1-2 [20-15-3]

Handle Selection: ● MT1-2



#3-4 [11-15-3]

Handle Selection: ● MT3-4



#5-6 [15-15-3]

Handle Selection: ● MT5-6

Angle Former



#34-35 [7-80-2.5-9]

Handle Selection: ● MT34-35

Bin-Angle Chisels



#11-12 [15-8-8]

Handle Selection: ● MT11-12



#8-9 [20-9-8]

Handle Selection: ● MT8-9



#40-41 [18-10-16]

Handle Selection: ● MT40-41

Hatchets



#13-14 [20-9-14]

Handle Selection: ● MT13-14



#15-16 [15-8-14]

Handle Selection: ● MT15-16



#17-18 [10-6-14]

Handle Selection: ● MT17-18

COMPOSITE RESTORATION INSTRUMENTS

Titanium Coated

Nordent composite placement instruments are Titanium Nitride coated. Titanium Nitride coating increases the surface hardness of instrument tips to reduce abrasion and eliminate “pull-back” when manipulating composite materials for a smoother, more accurate restoration in less time.

DURAFLEX™

DuraFlex composite instruments are crafted of exotic stainless steel spring wire. This unique material provides superior strength and durability while allowing the tips to flex when placing and shaping composite material. DuraFlex tips feature a proprietary Titanium Nitride coating process developed specifically to eliminate sticking of the composite material. All DuraFlex composite instruments come in Duralite ColorRings™ and Duralite® Round handles.

Placement – Titanium Coated, DuraFlex Curved Paddles

Curved blades conform to tooth anatomy for quicker, more accurate restorations. The ultra-thin, flexible blades provide exceptional interproximal access. The blades are ideal for Class V restorations.



Micro-Curve Paddle #26T Mirror image blades are 6 mm long and 1.5 mm wide. Ideal for small pit and fissure or minor anterior restorations.

Handle Selection:

☒ CEPFI26T

☐ REPMI26T (shown)



Curved Paddle “LRT” Mirror image blades are 11 mm long and 1.8 mm wide. Ideal for Class V restorations.

Handle Selection:

☒ CEPFILRT

☐ REPMILRT (shown)

Placement – Titanium Coated, DuraFlex Spatula Paddles



Spatula/Paddle #9T Combines a thin, flexible placement spatula that is 18 mm long and 5.5 mm wide with a paddle set at an opposing angle that is 10 mm long and 1.8 mm wide.

Handle Selection:

☒ CEPFI9T

☐ REPMI9T (shown)



Double Paddle #7T Identical flared blade paddles set at opposing angles that are 11 mm long and 1.8 mm wide.

Handle Selection:

☒ CEPFI7T

☐ REPMI7T (shown)



Double Paddle #37T Identical parallel blade paddles set at opposing angles that are 11 mm long and 1.5 mm wide.

Handle Selection:

☒ CEPFI37T

☐ REPMI37T (shown)



Double Paddle #38T Identical small blade paddles set at opposing angles that are 8 mm long and 1.5 mm wide.

Handle Selection:

☒ CEPFI38T

☐ REPMI38T (shown)

COMPOSITE RESTORATION INSTRUMENTS

Placement – Titanium Coated, Anatomical Finishing



Paddle/Acorn #23T Combines a long flared blade paddle that is 11 mm long/2 mm wide with an Acorn-shaped end that has a 2.3 mm diameter.

Handle Selection: ☒ CEPFI23T ☐ REPI23T



Paddle/Acorn #22T Combines a long flared blade paddle that is 11 mm long/2 mm wide with an Acorn-shaped end that has a 2.8 mm diameter.

Handle Selection: ☒ CEPFI22T ☐ REPI22T



Dilly Tapered Cones Two cone-shaped placement tips with rounded ends. One cone diameter is 1.8 mm tapering to 1.1 mm and the other cone diameter is 1.4 mm tapering to 0.75 mm.

Handle Selection: ☒ CEPRDILLYT ☐ REPRDILLYT



Duck-Head #28T Two concave cones with rounded ends. One has a diameter of 3.8 mm and the other has a diameter of 2.5 mm.

Handle Selection: ☒ CEPFI28T ☐ REPI28T



Acorn #29T Two Acorn-shaped placement tips. One end has a 2.3 mm diameter and the other has a 2.8 mm diameter.

Handle Selection: ☒ CEPFI29T ☐ REPI29T



Ball #32T Two ball-shaped placement tips. One end is 1.25 mm diameter and the other is 1.7 mm diameter.

Handle Selection: ☒ CEPFI32T ☐ REPI32T

Placement – Titanium Coated, Condensers/Paddle



Paddle/Condenser #20T Combines a long flared blade paddle that is 11 mm long/2 mm wide with a 2.0 mm diameter condenser that has a rounded end.

Handle Selection: ☒ CEPFI20T ☐ REPI20T



Paddle/Condenser #21T Combines a wide flared blade paddle that is 9 mm long/3.25 mm wide with a 1.4 mm diameter condenser with a rounded end.

Handle Selection: ☒ CEPFI21T ☐ REPI21T



Paddle/Condenser #30T Two condenser tips with rounded ends. One has a 2.0 mm diameter and the other has a 1.4 mm diameter.

Handle Selection: ☒ CEPFI30T ☐ REPI30T



Paddle/Condenser #2T Combines a wide flared blade paddle that is 9 mm long/3.25 mm wide with a 1.7 mm diameter condenser that has a flat end.

Handle Selection: ☒ CEPFI21T ☐ REPI21T



Paddle/Condenser #3T Combines a small paddle that is 7 mm long/2 mm wide with a 1.1 mm diameter condenser that has a flat end.

Handle Selection: ☒ CEPFI3T ☐ REPI3T



Paddle/Condenser #6T Two tapered cone-shaped condensers with rounded ends. One cone diameter is 1.9 mm tapering to 1.1 mm and the other cone diameter is 2.3 mm tapering to 1.5 mm.

Handle Selection: ☒ CEPFI6T ☐ REPI6T

COMPOSITE RESTORATION INSTRUMENTS



Double Paddle #4T Identical flared blade paddles set at opposing angles that are 11 mm long/2.0 mm wide.

Handle Selection:

☒ CEPFI4T

☐ REPMI4T (shown)



Double Paddle #1T Identical small blade paddles set at opposing angles that are 7 mm long/2.0 mm wide.

Handle Selection:

☒ CEPFI1T

☐ REPMI1T (shown)



Double Offset Paddle GREGG #4-5T Mirror image tips with blades that are “offset” 40° for better posterior access. The blades are 10 mm long and 1.9 mm wide.

Handle Selection:

☒ CEPFI4-5T

☐ REPMI4-5T (shown)



Double Paddle #5T Identical wide, flared blade paddles set at opposing angles that are 9 mm long/3.25 mm wide.

Handle Selection:

☒ CEPFI5T

☐ REPMI5T (shown)



Double Paddle #8AT Identical small blade paddles set at opposing angles that are 6 mm long/1.5 mm wide.

Handle Selection:

☒ CEPFI8AT

☐ REPMI8AT (shown)



Double Paddle #39T Identical medium size, elliptical cross section, parallel sided blade paddles set at opposing angles that are 9 mm long/2 mm wide.

Handle Selection:

☒ CEPFI39T

☐ REPMI39T (shown)



Double Paddle #40T Identical small size, elliptical cross section, parallel sided blade paddles set at opposing angles that are 7 mm long/1.8 mm wide.

Handle Selection:

☒ CEPFI40T

☐ REPMI40T (shown)



Ultra-Fine IPC The flat blades are 10 mm long and 1.5 mm wide and are sharp around the entire periphery. The blades are 0.4 mm thick to enhance interproximal access.

Handle Selection:

☒ CECAIPCT

☐ RECAIPCT

☒ CAIPCT (shown)

ADVANCED ESTHETIC RESTORATIONS

The Nordent #GG1

The REPGG1 can be adapted to a number of challenging restorative situations for pleasing esthetic results.



Mesial marginal ridge



Lingual contour, mandibular incisor



Distal marginal ridge



Double Paddle #GG1

Designed by Dr. Gerald G. Gutsell, Chicago, Illinois. This versatile instrument is a “go to” for numerous challenging restorative situations.

Handle Selection:



Double Paddle #50T

This is a classic double paddle at 0/90 degrees. The blades are very thin and flexible for easy adaptation in tight interproximal areas and anterior veneers.

Handle Selection:



Double Paddle #51T

Designed by Dr. Ty King, Rogers, Arkansas. Thin flared paddles are offset 45 degrees right and left. The blades are slightly curved for precise anatomical adaptation.

Handle Selection:



Composite Instrument #52T

Designed for smaller posterior composite restorations. This instrument combines a 0° elliptical paddle that is 7mm long/1.8mm wide with a rounded burnisher that is 1.4mm in diameter.

Handle Selection:



Composite Instrument #53T

This paddle/anatomical burnisher combination is designed for Class II posterior restorations that require a fine artistic touch. The 90° paddle is elliptical in shape, quite thin and only 7mm long and 1.8mm wide. It is combined with a medium size acorn burnisher.

Handle Selection:



ADVANCED ESTHETIC RESTORATIONS



Composite Instrument #54T Posterior composite placement combines the 0° paddle that is 7mm long/2mm wide with the small anatomical acorn burnisher that is 2.3mm in diameter.

Handle Selection:

☒ CEPFI54T

☐ REPIFI54T (shown)



Composite Instrument #55T Posterior composite placement combines the 0° paddle, elliptical cross section, parallel sided blades, that is 9mm long/2mm wide with the small anatomical acorn burnisher that is 2.3mm in diameter.

Handle Selection:

☒ CEPFI55T

☐ REPIFI55T (shown)



Composite Instrument #56T Posterior composite placement combines a 90° paddle, elliptical cross section, parallel sided blades, that is 9mm long/2mm wide with the rounded end condenser that is 1.4mm in diameter.

Handle Selection:

☒ CEPFI56T

☐ REPIFI56T (shown)

Interproximal Trimming Knives

Nordent interproximal trimming knives make it easy to cut and trim around restorations. The blades are thin and razor-sharp for accurate sculpting and easy interproximal access.



#110 Mirror image tips have a straight blade and one cutting edge that is 8 mm long.

Handle Selection:

☒ CECAN110

☐ RECAN110

☒ CAN110 (shown)



#125 Mirror image tips have a curved blade and one cutting edge that is 8 mm long.

Handle Selection:

☒ CECAN125

☐ RECAN125

☒ CAN125 (shown)



#126 Mirror image tips have a curved blade and two cutting edges (inside and outside) that are 10 mm long.

Handle Selection:

☒ CECAN126

☐ RECAN126

☒ CAN126 (shown)



#27 Mirror image tips have an extra-thin curved blade and one cutting edge that is 8 mm long. Made of spring-tempered stainless steel.

Handle Selection:

☒ CEPFI27T

☐ REPIFI27T (shown)

COMPOSITE RESTORATION INSTRUMENTS

Placement – Stainless Steel



Double Paddle #1 Identical small blade paddles set at opposing angles that are 7 mm long/2 mm wide.

Handle Selection: ☒ CEPFI1 ☐ REPI1 ☐ PFI1



Paddle/Condenser #2 Combines a wide flared blade paddle that is 9 mm long/3.25 mm wide with a 1.7 mm diameter condenser that has a flat end.

Handle Selection: ☒ CEPFI2 ☐ REPI2 ☐ PFI2



Paddle/Condenser #3 Combines a small paddle that is 7 mm long/2 mm wide with a 1.1 mm diameter condenser that has a flat end.

Handle Selection: ☒ CEPFI3 ☐ REPI3 ☐ PFI3



Double Paddle #4 Identical flared blade paddles set at opposing angles that are 11 mm long/1.5 mm wide.

Handle Selection: ☒ CEPFI4 ☐ REPI4 ☐ PFI4



Double Paddle #5 Identical wide, flared blade paddles set at opposing angles that are 9 mm long/3.25 mm wide.

Handle Selection: ☒ CEPFI5 ☐ REPI5 ☐ PFI5



Double Paddle #8A Identical small blade paddles set at opposing angles that are 6 mm long/1.5 mm wide.

Handle Selection: ☒ CEPFI8A ☐ REPI8A ☐ PFI8A



Woodson #1 Two rounded, flared blades with blade widths of 3 mm and 4 mm.

Handle Selection: ☒ CEPFIW1 ☐ REPIW1 ☐ PFIW1



Woodson #2 Combines a flared blade paddle with is 9 mm long/ 3.2 mm wide with a smooth condenser that has a 1.9 mm diameter.

Handle Selection: ☒ CEPFIW2 ☐ REPIW2 ☐ PFIW2



Woodson #3 Combines a flared blade paddle that is 10 mm long/ 3.2 mm wide with a smooth condenser that has a 2.4 mm diameter.

Handle Selection: ☒ CEPFIW3 ☐ REPIW3 ☐ PFIW3



Curved Paddle "LR" Mirror image blades are 11 mm long and 1.8 mm wide.

Handle Selection: ☒ CEPFILR ☐ REPILR ☐ PFILR



Offset Double Paddle #G4-5 Mirror image tips with blades that are "offset" 40° for better posterior access. The blades are 10 mm long and 1.9 mm wide.

Handle Selection: ☒ CEPFIG4-5 ☐ REPIG4-5 ☐ PFIG4-5



Double Paddle #11 Identical slightly flared blade paddles set at opposing angles that are 11 mm long and 2.4 mm wide.

Handle Selection: ☒ CEPFI11 ☐ REPI11 ☐ PFI11

AMALGAM RESTORATION

Amalgam Carriers

Nordent amalgam carriers are the only ones with an unconditional 2-year guarantee. They are ALL stainless steel and can be sterilized by any method. The barrels and the plungers are precision ground for a perfect fit, assuring accurate and trouble-free delivery. The heavy duty springs are hardened and tempered for a lifetime of smooth operation.



AC1 Regular/Jumbo

The "regular" barrel has an inside diameter of 2.0 mm and is 5 mm deep. The "jumbo" barrel has an inside diameter of 3.0 mm and is 5 mm deep.



AC2 Regular/Large

The "regular" barrel has an inside diameter of 2.0 mm and is 5 mm deep. The "large" barrel has an inside diameter of 2.7 mm and is 5 mm deep. Our most popular pattern!



AC3 Regular/Mini

The "regular" barrel has an inside diameter of 2.0 mm and is 5 mm deep. The "mini" barrel has an inside diameter of 1.5 mm and is 5 mm deep.



AC7 Jumbo/Jumbo

Both barrels are the same. They have inside diameters of 3.0 mm and are 5 mm deep.

Amalgam Well


Solid stainless steel and a soft silicone base make this amalgam well solid and secure while loading amalgam carriers. Can be sterilized by any method.



Articulating Paper Forceps

Miller #1

Hardened stainless steel for long life. The blades are "cross-serrated" at the tip (first 4-5 mm). Paper will not slip out. 6"/150 mm.



AMALGAM RESTORATION

Condensers/Pluggers

Nordent condensers are available in a wide range of combinations with serrated or plain tips. The terminal shanks are angled at 50° to the center line of the instrument. All are made of hardened stainless steel and will provide years of trouble-free service.



Marquette #0-1 Tip diameters are 0.7 mm and 1.1 mm.

| | | | |
|---------------|-----------|-----------|---------|
| Serrated Tip: | ● CECN0S1 | ○ REC�0S1 | ● CN0S1 |
| Plain Tip: | ● CECN0P1 | ○ REC�0P1 | ● CN0P1 |



#1-4 Tip diameters are 1.1 mm and 1.5 mm.

| | | | |
|---------------|-----------|-----------|---------|
| Serrated Tip: | ● CECN1S4 | ○ REC�1S4 | ● CN1S4 |
| Plain Tip: | ● CECN1P4 | ○ REC�1P4 | ● CN1P4 |



#1-8 Tip diameters are 1.1 mm and 2.3 mm.

| | | | |
|---------------|-----------|-----------|---------|
| Serrated Tip: | ● CECN1S8 | ○ REC�1S8 | ● CN1S8 |
| Plain Tip: | ● CECN1P8 | ○ REC�1P8 | ● CN1P8 |



#4-10 Tip diameters are 1.5 mm and 2.6 mm.

| | | | |
|---------------|------------|------------|----------|
| Serrated Tip: | ● CECN4S10 | ○ REC�4S10 | ● CN4S10 |
| Plain Tip: | ● CECN4P10 | ○ REC�4P10 | ● CN4P10 |



#4-8 Tip diameters are 1.5 mm and 2.3 mm. Also known as the Black's plugger 1-2.

| | | | |
|---------------|-----------|-----------|---------|
| Serrated Tip: | ● CECN4S8 | ○ REC�4S8 | ● CN4S8 |
| Plain Tip: | ● CECN4P8 | ○ REC�4P8 | ● CN4P8 |



#6-8 Tip diameters are 1.9 mm and 2.3 mm.

| | | | |
|---------------|-----------|-----------|---------|
| Serrated Tip: | ● CECN6S8 | ○ REC�6S8 | ● CN6S8 |
| Plain Tip: | ● CECN6P8 | ○ REC�6P8 | ● CN6P8 |



Hollenback #1 The terminal shanks are angled at 35° to the center line of the handle. The non-tapered blade diameters are 1.5 mm and 1.9 mm. Plain tip only.

| | | | |
|------------|----------|----------|--------|
| Plain Tip: | ● CECNH1 | ○ REC�H1 | ● CNH1 |
|------------|----------|----------|--------|



Hollenback #2 The terminal shanks are angled at 35° to the center line of the handle. The non-tapered blade diameters are 2.0 mm and 2.7 mm. Plain tip only.

| | | | |
|------------|----------|----------|--------|
| Plain Tip: | ● CECNH2 | ○ REC�H2 | ● CNH2 |
|------------|----------|----------|--------|



Mortenson The blades are extra long and tapered with non-serrated tips. The tapered blades have the following diameters: 1.9-1.1 mm and 2.3-1.6 mm.

| | | | |
|------------|------------|------------|----------|
| Plain Tip: | ● CECNMORT | ○ REC�MORT | ● CNMORT |
|------------|------------|------------|----------|



Mortenson #2 The blades are extra long and tapered with non-serrated tips. The tapered blades have the following diameters: 1.9-1.1 mm and 1.6-0.5 mm.

| | | | |
|------------|-------------|-------------|-----------|
| Plain Tip: | ● CECNMORT2 | ○ REC�MORT2 | ● CNMORT2 |
|------------|-------------|-------------|-----------|

AMALGAM RESTORATION

Carvers – Cleoid/Discoïd

Nordent amalgam carvers are hand-formed, precision ground, and hardened to produce a smoother, more accurate restoration in less time. Cleoid–Discoïd amalgam carvers are used to carve anatomy into amalgam restorations. The “Cleoid” end has a spade shape (a pointed tip) and is sharp around the entire periphery. The “Discoïd” end is shaped like a disk (round) and is sharp around the entire periphery.



Cleoid Discoïd #1 The blade width is 1.5 mm on both ends. Also known as a 90-93.

Handle Selection:

☒ CECACD1

☐ RECACD1

☒ CACD1 (shown)



Cleoid Discoïd #2 The blade width is 2.4 mm on both ends. Also known as an 89-92.

Handle Selection:

☒ CECACD2

☐ RECACD2

☒ CACD2 (shown)



Cleoid Discoïd #3 The blade width is 3.4 mm on both ends. Also known as a 3-6.

Handle Selection:

☒ CECACD3

☐ RECACD3

☒ CACD3 (shown)



Cleoid Discoïd #4-5 Combines a small Cleoid with a medium-size Discoïd. The blade width of the Cleoid tip is 1.5 mm and the blade width of the Discoïd tip is 2.4 mm.

Handle Selection:

☒ CECACD4-5

☐ RECACD4-5

☒ CACD4-5 (shown)

Carvers – Cleoid/Discoïd – Modified



WACD Combines a straight shank Cleoid with an elongated Discoïd tip. The Cleoid end has a blade width of 3.4 mm. The elongated Discoïd has a blade width of 2.5 mm and a blade length of 6.5 mm.

Handle Selection:

☒ CECAWACD

☐ RECAWACD

☒ CAWACD (shown)



Tufts #2 Combines a Cleoid with an elongated Discoïd tip. The Cleoid end has a blade width of 3.4 mm. The elongated Discoïd has a blade width of 2.5 mm and a blade length of 6.5 mm.

Handle Selection:

☒ CECAT2

☐ RECAT2

☒ CAT2 (shown)



Tanner #5 Combines a Cleoid with a “mushroom-shaped” Discoïd tip. The Cleoid end has a blade width of 3.4 mm. The Discoïd has a blade width of 4.2 mm.

Handle Selection:

☒ CECAT5

☐ RECAT5

☒ CAT5 (shown)

AMALGAM RESTORATION

Carvers

Hollenback carvers have a flat profile and a spear-shaped blade that is sharp around the entire periphery. They are used for carving anatomy and trimming flat surfaces.



Hollenback #3 The blades are 9.5 mm long and 1.7 mm wide.

Handle Selection:

☒ CECAH3

☐ RECAH3

☒ CAH3 (shown)



Hollenback #3S The blades are 6.5 mm long and 1.5 mm wide. Also known as a Half-Hollenback

Handle Selection:

☒ CECAH3S

☐ RECAH3S

☒ CAH3S (shown)



Nordent #133 A unique combination carver that combines a Hollenback #3S carver tip with a 2.4 mm Discoid into an easy-to-use double-end instrument.

Handle Selection:

☒ CECAN133

☐ RECAN133

☒ CAN133 (shown)

Carvers – Interproximal

Interproximal carvers are designed to trim and shape interproximal surfaces. They have a slender profile for easier access to tight contact areas.



Ultra-Fine IPC The flat blades are 10 mm long and 1.5 mm wide and are sharp around the entire periphery. The blades are 0.4 mm thick to enhance interproximal access. The tips are made from spring-tempered stainless steel to give the blade a slight flexibility and to resist breakage.

Handle Selection:

☒ CECAIPC

☐ RECAIPC

☒ CAIPC (shown)



IPC-A Mirror image blades are 9 mm long, 1.8 mm wide and 0.5 mm thick. The blades are offset 40° for better posterior access.

Handle Selection:

☒ CECAIPCA

☐ RECAIPCA

☒ CAIPCA (shown)



Loma Linda #1 The flat blades are 7.5 mm long and 1.3 mm wide and are sharp around the entire periphery. The blades are 0.4 mm thick to enhance interproximal access. The tips are made from spring-tempered stainless steel to give the blade a slight flexibility and to resist breakage.

Handle Selection:

☒ CECALL1

☐ RECALL1

☒ CALL1 (shown)



IPC #18 Mirror image sickle-shaped blades that are offset. The blades are very thin and easily adapt to interproximal surfaces.

Handle Selection:

☒ CECAW18

☐ RECAW18

☒ CAW18 (shown)

AMALGAM RESTORATION

Carvers



Levy #7 Mirror image blades are curved and tapered to a sharp point similar to a hygiene scaler. The blades are 10 mm long and 0.9 mm wide.

| | | | |
|-------------------|---|------------------------------|---|
| Handle Selection: | <input checked="" type="radio"/> CECAL7 | <input type="radio"/> RECAL7 | <input checked="" type="radio"/> CAL7 (shown) |
|-------------------|---|------------------------------|---|



Wall #3 Combines an elongated Discoid and a flat chisel carver into one instrument. The elongated Discoid has a blade width of 2.8 mm and is 6.5 mm long. The chisel carver has a blade width of 3.4 mm and is 6 mm long.

| | | | |
|-------------------|--|-------------------------------|--|
| Handle Selection: | <input checked="" type="radio"/> CECAWA3 | <input type="radio"/> RECAWA3 | <input checked="" type="radio"/> CAWA3 (shown) |
|-------------------|--|-------------------------------|--|



Ward #1 Both flat spear-shaped blades are 13.0 mm long and 1.9 mm wide. One tip is set at 20° angle and the other is set at a 55° angle to the center line of the handle.

| | | | |
|-------------------|--|-------------------------------|--|
| Handle Selection: | <input checked="" type="radio"/> CECAWA1 | <input type="radio"/> RECAWA1 | <input checked="" type="radio"/> CAWA1 (shown) |
|-------------------|--|-------------------------------|--|



Ward #1S Both flat spear-shaped blades are 9 mm long and 1.7 mm wide. One tip is set at a 20° angle and the other is set at a 55° angle to the center line of the handle.

| | | | |
|-------------------|---|--------------------------------|---|
| Handle Selection: | <input checked="" type="radio"/> CECAWA1S | <input type="radio"/> RECAWA1S | <input checked="" type="radio"/> CAWA1S (shown) |
|-------------------|---|--------------------------------|---|



Ward #2 One blade is flat with a rounded tip that is 9.5 mm long and 2.5 mm wide. The blade angle is set at a 45° angle to the center line of the handle. The opposing blade has a spear shape. It is 12 mm long, 2 mm wide and set at a 55° angle to the center line of the handle.

| | | | |
|-------------------|--|-------------------------------|--|
| Handle Selection: | <input checked="" type="radio"/> CECAWA2 | <input type="radio"/> RECAWA2 | <input checked="" type="radio"/> CAWA2 (shown) |
|-------------------|--|-------------------------------|--|



Shoshan #8 Combines a "flame" shape carver with an elongated Discoid carver. The "flame" carver has a blade width of 2.4 mm that tapers to a point. The elongated Discoid has a blade width of 2.5 mm and is 6.5 mm long. Also known as the Shoshan "A" carver.

| | | | |
|-------------------|--|-------------------------------|--|
| Handle Selection: | <input checked="" type="radio"/> CECASH8 | <input type="radio"/> RECASH8 | <input checked="" type="radio"/> CASH8 (shown) |
|-------------------|--|-------------------------------|--|



University of Puerto Rico #1 Combines a spear-shaped Hollenback blade with a narrow elongated Discoid blade. The spear-shaped Hollenback blade is 1.5 mm wide. The narrow elongated Discoid has a blade width of 1.8 mm. Both blades are 7 mm long.

| | | | |
|-------------------|---|--------------------------------|---|
| Handle Selection: | <input checked="" type="radio"/> CECAURI1 | <input type="radio"/> RECAURI1 | <input checked="" type="radio"/> CAURI1 (shown) |
|-------------------|---|--------------------------------|---|

AMALGAM RESTORATION

Burnishers

Nordent burnishers come in a wide selection of shapes and sizes. All are precision-machined and hand-formed from high-carbon stainless steel. The tips are then hardened and hand-polished to achieve smooth, scratch-resistant surfaces that produce accurate and smooth restorations every time.



Acorn #21BL 2.8 mm / 3.1 mm diameters

Handle Selection:  CEBR21BL  REBR21BL  BR21BL



Acorn #21B 2.2 mm / 2.8 mm diameters

Handle Selection:  CEBR21B  REBR21B  BR21B




Ball #42 1.9 mm / 1.2 mm diameters

Handle Selection:  CEBR42  REBR42  BR42



Ball #43 1.9 mm / 1.6 mm diameters

Handle Selection:  CEBR43  REBR43  BR43



Ball #45 1.9 mm / 2.8 mm diameters

Handle Selection:  CEBR45  REBR45  BR45



Ball/Football #27S-29 0.9 mm / 3.6 mm diameters

Handle Selection:  CEBR27S-29  REBR27S-29  BR27S-29



Ball/Football #27-29 1.6 mm / 3.6 mm diameters

Handle Selection:  CEBR27-29  REBR27-29  BR27-29






Ball/Football #26-29 1.9 mm / 3.6 mm diameters

Handle Selection:  CEBR26-29  REBR26-29  BR26-29



Ball/Football #25-29 2.7 mm / 3.6 mm diameters

Handle Selection:  CEBR25-29  REBR25-29  BR25-29



Football #28-29 2.3 mm / 3.6 mm diameters

Handle Selection:  CEBR28-29  REBR28-29  BR28-29



Football/Beavertail #29-BV 3.6 mm diameter football and a 2.4 mm wide Beavertail.

Handle Selection:  CEBR29-BV  REBR29-BV  BR29-BV



Nordent #117 3.0 mm / 1.9 mm diameters

Handle Selection:  CEBRN117  REBRN117  BRN117



Nordent #117S 1.9 mm / 1.3 mm diameters

Handle Selection:  CEBRN117S  REBRN117S  BRN117S

CROWN & BRIDGE INSTRUMENTS

Gingival Cord Packers – Straight Blade

Nordent original straight blade designs. These unique cord packers have long (12 mm) blades that allow easy adaptation around any tooth. The tips are thin enough to access even the tightest sulcus and are available in plain or serrated tips that won't catch the cord.



Nordent #113 Mirror image blades that have a 45° offset.

| | | | | |
|---------------|--|---------------------------------|--|--------------------------------|
| Plain Tip: | <input checked="" type="radio"/> CEGPNP113 (shown) | <input type="radio"/> REGPNP113 | <input checked="" type="radio"/> GPNP113 | <input type="radio"/> Plain |
| Serrated Tip: | <input checked="" type="radio"/> CEGPNS113 | <input type="radio"/> REGPNS113 | <input checked="" type="radio"/> GPNS113 | <input type="radio"/> Serrated |



Nordent #122 Blades are set at opposing angles.

| | | | | |
|---------------|--|---------------------------------|--|--------------------------------|
| Plain Tip: | <input checked="" type="radio"/> CEGPNP122 (shown) | <input type="radio"/> REGPNP122 | <input checked="" type="radio"/> GPNP122 | <input type="radio"/> Plain |
| Serrated Tip: | <input checked="" type="radio"/> CEGPNS122 | <input type="radio"/> REGPNS122 | <input checked="" type="radio"/> GPNS122 | <input type="radio"/> Serrated |

Gingival Cord Packers – Curved Blade

Nordent anatomical curved blade designs. Anatomical cord packers have a rounded head shape. Extra access and control is achieved because each blade is curved to easily adapt to the tooth anatomy. Available in two distinctive patterns with plain or serrated tips that won't catch the cord.



Nordent #213 Mirror image curved blades that have a 45° offset.

| | | | | |
|---------------|--|---------------------------------|--|--------------------------------|
| Plain Tip: | <input checked="" type="radio"/> CEGPNP213 (shown) | <input type="radio"/> REGPNP213 | <input checked="" type="radio"/> GPNP213 | <input type="radio"/> Plain |
| Serrated Tip: | <input checked="" type="radio"/> CEGPNS213 | <input type="radio"/> REGPNS213 | <input checked="" type="radio"/> GPNS213 | <input type="radio"/> Serrated |



Nordent #222 Blades are curved in opposing directions.

| | | | | |
|---------------|--|---------------------------------|--|--------------------------------|
| Plain Tip: | <input checked="" type="radio"/> CEGPNP222 (shown) | <input type="radio"/> REGPNP222 | <input checked="" type="radio"/> GPNP222 | <input type="radio"/> Plain |
| Serrated Tip: | <input checked="" type="radio"/> CEGPNS222 | <input type="radio"/> REGPNS222 | <input checked="" type="radio"/> GPNS222 | <input type="radio"/> Serrated |

Cement Spatulas



Spatula #22 Tapered blade is 30 mm long with a moderate flex.



Spatula #24 Parallel sided blade is 45 mm long and 7 mm wide with a moderate flex.



Mix & Place Spatula #1655/1 Double ended spatulas with one end rounded and one end pointed. The blades are parallel and are 30mm long and 5mm wide

CROWN & BRIDGE INSTRUMENTS

Crown Removers




Mazouch #108 Heavy-duty crown remover with large handle.



Designed By: Dr. Joseph Morganelli, Chicago, Illinois

Nordent #134 Our most popular crown remover gives you easier access, less preparation and more patient comfort. Mirror image blades are offset 45° and can engage prepared slots on any surface of the crown. The blades fit slots as narrow as 1 mm and are made from a special high-tensile stainless steel alloy so they won't bend. The exclusive DuraLite® HEXagonal handle provides superior leverage and control.

Crown Adapter



Adapter #2709 The large rubber inserts are shaped to cradle the crown and are heavily ribbed to assure maximum control. These crown-adapting pliers are all stainless steel and have the narrowest profile available so they will not impede your vision when placing temporary and permanent crowns and bridges. Packaged with 2 sets of reusable autoclavable inserts.


Replacement Inserts for Adapter #2709, 2 sets of inserts (4 pcs).

Crown & Collar Scissors

Made from the finest high-carbon stainless steel and hardened to the highest degree to stay sharp longer and optimize corrosion resistance.



Straight Blade #324 4"/100mm



Curved Blade #325 4"/100mm

LAB CARVERS

Wax Spatula

Beale



SPBEALE

Wax #7



SPWAX7

Wax Carver

Lecron



CLLC

Roach



CLRO

P.K. Thomas

#1



CLPKT1

#2



CLPKT2

#3



CLPKT3

#4



CLPKT4

#5



CLPKT5

ORTHODONTIC INSTRUMENTS



Band Pusher – Black's #6-7

Two identical oval-shaped, serrated blades set at opposing angles. The blades measure 3.5 mm wide and 1.5 mm thick.

Handle Selection:

● CNB6-7



Band Pusher – Scaler #114

Handle Selection:

⬡ EOTN114



Scaler – Ligature Director #115

Handle Selection:

⬡ EOTN115



Band Pusher – Scaler #119

Handle Selection:

⬡ EOTN119



Ligature Director #120 Single End

Handle Selection:

● OTN120

Mathieu #207C

Medium jaws with carbide inserts and fine serrations. The unique ratchet mechanism allows the instrument to be locked and opened by simply squeezing the handles. Excellent for left-handed operation (5"/130 mm).

