


Nordent **Hygiene Instruments** offer the highest quality and the best value in the industry.

We use only the finest domestic high-carbon surgical stainless steels and a proprietary cryogenic hardening and tempering process to ensure long-lasting sharpness and durability. Each instrument is meticulously shaped and finished by expert craftsmen and 100% made in the USA!

HYGIENE INSTRUMENTS

RELYANT™ SCALERS & CURETTES	2-3
SINGLE END SCALERS	4
ANTERIOR SCALERS	5-8
POSTERIOR SCALERS	9-11
SCALETTE®	12
GOLDMAN-FOX	13
CURETTES	14-16
DIAMOND FURCATION FILES	17
IMPLANT MAINTENANCE	18
GRACEY CURETTES	19-24



NEW!

Relyant®

Scalers & Curettes

The same high quality tips that you've always trusted, now with free sharpening.



Highest quality tips stay sharp longer

Ergonomic handle is lightweight and all stainless steel, designed for maximum comfort

Finest instruments hand crafted in the USA

Free yourself from in-office sharpening

- Spend more time treating patients
- Perfectly sharpened instruments anytime

Worry-free, total solution

- Fast, easy, and convenient system
- Save more money with Relyant trade-in program

Don't forget, when it's time to replace a Relyant® instrument, it can be traded in for a 40% discount on a new one.

For more information visit
www.neversharpenagain.com

Sharp instruments are critical in providing quality patient care, so Nordent is making instrument maintenance hassle-free and removing one more thing from your busy "to-do" list.

Relyant® Scalers & Curettes come with FREE unlimited professional sharpening for life.

This means you can send them to Nordent for sharpening whenever you want and as often as you want. With our guaranteed speedy service, your Relyant® instruments will be sharpened and ready to ship within 24-48 hours of receipt.

To take advantage of this wonderful service, simply contact Nordent and request a free shipping kit. The shipping kit contains everything you'll need: foam padded box, forms, and pre-paid UPS labels.

When you are ready to get your instruments sharpened, just put them into the padded box, fill out the short form and affix the UPS label. Once the shipment is received at Nordent, the instruments will be sharpened by the instrument craftsmen and shipped out within 24 hours. It couldn't be easier!

To request a free shipping kit, give Nordent Customer Service a call at 1-800-966-7336 or visit the website at www.neversharpenagain.com. If you would like to see the Relyant instruments, give Nordent a call and your local Nordent representative will schedule a visit.

Buy Relyant® Scalers & Curettes today to let Nordent handle all your instrument sharpening, and you'll never sharpen again.

NEW!

Relyant®

Scalers & Curettes

Give it a try! Get a FREE sample sharpening at
www.neversharpenagain.com

Relyant Scalers & Curettes are available in all your favorite patterns:

ITEM CODE	PAGE	RELYANT® NEW UNIT ITEM CODES
VSC204	C9	Scaler, DE, Posterior Sickle, #204
VSC204S	C9	Scaler, DE, Posterior Sickle #204S
VSCALSR	C7	Scaler, DE, Anterior Lingual Stain Remover
VSCBH1-2	C14	Curette, DE, Barnhart #1-2
VSCBH5-6	C14	Curette, DE, Barnhart #5-6
VSCCO13-14	C14	Curette, DE, Columbia #13-14
VSCCO4R-4L	C14	Curette, DE, Columbia #4R-4L
VSCGR11-12	C21	Curette, DE, Gracey #11-12
VSCGR1-2	C20	Curette, DE, Gracey #1-2
VSCGR13-14	C21	Curette, DE, Gracey #13-14
VSCGR3-4	C20	Curette, DE, Gracey #3-4
VSCGR5-6	C20	Curette, DE, Gracey #5-6
VSCGR7-8	C20	Curette, DE, Gracey #7-8
VSCJ1S-N5	C8	Scaler, DE, Jacquette #1S - Sickle N5 (5-33)
VSCJ2S-3S	C9	Scaler, DE, Jacquette #2S-3S (34-35)
VSCM13S-14S	C16	Curette, DE, McCall #13S-14S
VSCMC17-18	C16	Curette, DE, McCall #17-18
VSCN129	C10	Scaler, DE, Posterior #N129
VSCN135	C12	Scalette, DE, Posterior, #N135
VSCN137M	C12	Scalette, DE, Anterior, #N137 Mini Blade
VSCN137ML	C12	Scalette, DE, Anterior, #N137 Mini Blade, Long Shank
VSCN5-5S	C5	Scaler, DE, Anterior, N5-5 Slim
VSCN5-48	C6	Scaler, DE, N5-Contra Angle Hoe #48
VSCN67	C6	Scaler, DE, N67 Offset Sickle (H6-H7)
VSCNMJ	C6	Scaler, DE, Offset Sickle NMJ Universal R138
VSCRE3-4	C10	Scaler, DE, Remington 3-4
VSCYG7-8	C17	Curette, DE, Younger-Good #7-8



Relyant®
Renewable Performance for Life

All Nordent standard and serrated blade elevators are now part of the Relyant family of instruments. They're the same high quality you've always trusted and now include free sharpening *with every purchase*. This means that, just like with Relyant Scalers & Curettes, you can send us your Relyant elevators whenever you want and as often as you want to have them professionally sharpened for FREE!¹ For more information, please visit www.neversharpenagain.com

¹Relyant program is only available for the U.S. domestic market.

SINGLE END SCALERS

Single end scalers are an excellent choice for pedodontic practices to remove deposits from supragingival surfaces and in orthodontic practices to remove cement. Single end scalers should be used when a double end instrument is not suitable or required. Nordent will produce any of our hygiene tip patterns in a single end configuration upon request.



Sickie N5

A moderate size, medium-reach sickie with a blade width of 0.9mm that tapers to a point.

Handle Selection:	<input checked="" type="radio"/> CESC5 (shown)	<input type="radio"/> RESC5	<input type="radio"/> SC5
-------------------	--	-----------------------------	---------------------------



Sickie 109

A moderate size, long-reach sickie with a blade width of 0.9 mm that tapers to a point.

Handle Selection:
<input checked="" type="radio"/> CESC109
<input type="radio"/> RESC109
<input type="radio"/> SC109



Towner U15

A large size, long-reach sickie with a blade width of 1 mm that tapers to a point.

Handle Selection:
<input checked="" type="radio"/> CESC15
<input type="radio"/> RESC15
<input type="radio"/> SC15



Ivory CI-1

A moderate size, medium-reach sickie with a blade width of 2 mm that tapers to a point.

Handle Selection:
<input checked="" type="radio"/> CESC11
<input type="radio"/> RESC11
<input type="radio"/> SC11



Younger-Good 15

A small size, short-reach sickie on a straight shank with a blade width of 1 mm that tapers to a point.

Handle Selection:
<input checked="" type="radio"/> CESC15
<input type="radio"/> RESC15
<input type="radio"/> SC15



Univ. of So. Cal. 128

A moderate size, medium-reach sickie on a straight shank with a blade width of 1.2 mm that tapers to a point.

Handle Selection:
<input checked="" type="radio"/> CESC128
<input type="radio"/> RESC128
<input type="radio"/> SC128



Whiteside 2

A small size, short-reach sickie on a straight shank with a 1.5 mm blade that tapers to a point.

Handle Selection:
<input checked="" type="radio"/> CESC2
<input type="radio"/> RESC2
<input type="radio"/> SC2



Nebraska 128

Thinner version of the USC128 with a blade width of 1mm.

Handle Selection:
<input checked="" type="radio"/> CESC128
<input type="radio"/> RESC128
<input type="radio"/> SC128



Jacquette J1S

A small size, straight blade Jacquette with a 0.9 mm blade width that tapers to a point. This tip is also known as the Jacquette #33.

Handle Selection:
<input checked="" type="radio"/> CESC1S
<input type="radio"/> RESC1S
<input type="radio"/> SC1S



"B" Scaler

A moderate size, straight blade with a 0.5 mm width that has two sharp edges on the face and the back of the blade. This enables the blade to be used in a push or pull stroke.

Handle Selection:
<input checked="" type="radio"/> CESC
<input type="radio"/> RESC
<input type="radio"/> SC

ANTERIOR SCALERS

Anterior Scalers are used to remove deposits from supragingival surfaces of anterior teeth. There are three basic design classifications for anterior scalers—Sickle Scalers (curved blade with a pointed tip), Jacquette Scalers (straight blade with a pointed tip) and Hoe Scalers (flat or rounded blades). In this section, you will find many anterior scaler combinations and designs for every application.

Double End Sickles



Sickle N5-N5S Both sickles have an identical moderate size, medium-reach length. The N5 blade width is 0.9 mm and the N5S blade is reduced by 20% to 0.7 mm to help gain access in very tight contact areas.

Handle Selection: ☒ CESC5-5S (shown) ☐ RESC5-5S ☐ ESC5-5S ☐ RSC5-5S ☐ SC5-5S



Sickle N5 - Younger-Good #15 Combines the moderate size, medium-reach N5 sickle that has a blade width of 0.9 mm with a Younger-Good 15 small size short-reach sickle on a straight shank that has a blade width of 1 mm.

Handle Selection: ☒ CESC5-YG15 (shown) ☐ RESC5-YG15 ☐ ESC5-YG15 ☐ RSC5-YG15 ☐ SC5-YG15



Towner U15-109 Sickle Combines the large size, long-reach Towner U15 sickle that has a blade width of 1 mm with a moderate size long-reach sickle with a blade width of 0.9 mm.

Handle Selection: ☒ CESC15-109 (shown) ☐ RESC15-109 ☐ ESC15-109 ☐ RSC15-109 ☐ SC15-109



Towner U15-Sickle N5 Combines the large size, long-reach Towner U15 sickle that has a blade width of 1 mm with a moderate size, medium-reach N5 sickle that has a blade width of 0.9 mm.

Handle Selection: ☒ CESC15-N5 (shown) ☐ RESC15-N5 ☐ ESC15-N5 ☐ RSC15-N5 ☐ SC15-N5



Towner U15-Whiteside 2 Combines the large size, long-reach Towner U15 sickle that has a blade width of 1 mm with a small size short reach sickle on a straight shank with a 1.5 mm blade.

Handle Selection: ☒ CESC15-W2 (shown) ☐ RESC15-W2 ☐ ESC15-W2 ☐ RSC15-W2 ☐ SC15-W2



University of Texas 103-106 Two contra-angle, short-reach sickles. The 103 blade width is 1.4mm and the 106 blade width is 1mm.

Handle Selection: ☒ CESC103-106 (shown) ☐ RESC103-106 ☐ ESC103-106 ☐ RSC103-106 ☐ SC103-106



Offset Sickle USC3-4 Both sickles have identical moderate size, medium-reach length and blade widths of 1.2 mm that taper to a point. The tips have a 10° mirror image offset to allow better access to anteriors and premolars.

Handle Selection: ☒ CESCUSC3-4 (shown) ☐ RESCUSC3-4 ☐ ESCUSC3-4 ☐ RSCUSC3-4 ☐ SCUSC3-4

ANTERIOR SCALERS

Double End Sickles



Offset Sickle N67 Both sickles have an identical moderate size, medium-reach length and blade widths of 0.9 mm that taper to a point. The tips have a 10° mirror image offset to allow better access to anteriors and premolars. This design is also known as H6/H7.

Handle Selection:	<input checked="" type="radio"/> CESC67 (shown)	<input type="radio"/> RESC67	<input type="radio"/> ESC67	<input type="radio"/> RSC67	<input type="radio"/> SC67
-------------------	---	------------------------------	-----------------------------	-----------------------------	----------------------------



Offset Sickle NMJ Both sickles have an identical moderate size, medium-reach length and blade widths of 0.8 mm that taper to a point. The tips have a 20° mirror image offset to allow better access to anteriors and premolars. Also known as the R138.

Handle Selection:	<input checked="" type="radio"/> CESC67 (shown)	<input type="radio"/> RESC67	<input type="radio"/> ESC67	<input type="radio"/> RSC67	<input type="radio"/> SC67
-------------------	---	------------------------------	-----------------------------	-----------------------------	----------------------------

Sickle / Hoe Combinations



Sickle/Spoon #N5-N1 Combines the standard N5 sickle that has a 0.9 mm blade width that tapers to a point with a long reach contra-angle spoon blade hoe that has a blade diameter of 2 mm for anterior lingual surfaces.

Handle Selection:	<input checked="" type="radio"/> CESC5-N1 (shown)	<input type="radio"/> RESC5-N1	<input type="radio"/> ESC5-N1	<input type="radio"/> RSC5-N1	<input type="radio"/> SC5-N1
-------------------	---	--------------------------------	-------------------------------	-------------------------------	------------------------------



Sickle/Spoon #1 Combines a small size, medium-reach length sickle that has a 0.8 mm blade width that tapers to a point with a long reach contra-angle spoon blade hoe that has a blade diameter of 2 mm for anterior lingual surfaces.

Handle Selection:	<input checked="" type="radio"/> CESC1 (shown)	<input type="radio"/> RESC1	<input type="radio"/> ESC1	<input type="radio"/> RSC1	<input type="radio"/> SC1
-------------------	--	-----------------------------	----------------------------	----------------------------	---------------------------



Sickle N5-Hoe #48 Combines the moderate size, medium-reach N5 sickle that has a blade width of 0.9 mm that tapers to a point with a small contra-angle hoe that has a blade width of 2 mm for anterior lingual surfaces. For routine use.

Handle Selection:	<input checked="" type="radio"/> CESC5-48 (shown)	<input type="radio"/> RESC5-48	<input type="radio"/> ESC5-48	<input type="radio"/> RSC5-48	<input type="radio"/> SC5-48
-------------------	---	--------------------------------	-------------------------------	-------------------------------	------------------------------



Towner U15-Hoe #47 Combines the large size, long-reach Towner U15 sickle that has a blade width of 1 mm that tapers to a point with a medium contra-angle hoe that has a blade width of 2.5 mm for anterior lingual surfaces. For heavier use.

Handle Selection:	<input checked="" type="radio"/> CESC15-47 (shown)	<input type="radio"/> RESC15-47	<input type="radio"/> ESC15-47	<input type="radio"/> RSC15-47	<input type="radio"/> SC15-47
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Towner U15-Kirkland #13 Combines the large size, long-reach Towner U15 sickle that has a blade width of 1 mm that tapers to a point with a large contra-angle Kirkland hoe that has a blade width of 3.5 mm for use in periodontal surgery.

Handle Selection:	<input checked="" type="radio"/> CESC15-K13 (shown)	<input type="radio"/> RESC15-K13	<input type="radio"/> ESC15-K13	<input type="radio"/> RSC15-K13	<input type="radio"/> SC15-K13
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------

ANTERIOR SCALERS

Lingual Hoes



Anterior Lingual Stain Remover (ALSR) Combines a contra-angled anterior hoe and a contra-angled spoon into one instrument that easily removes stain from anterior lingual surfaces. The hoe has a 2 mm blade width and makes it easy to "push back" the sulcus as you scale along the gum-line. The spoon has a 2 mm diameter blade that easily adapts to the concavities and grooves of the upper lingual anatomy.

Handle Selection: ☒ CESCALS (shown) ☐ RESCALS ☐ ESCALS ☐ RSCALS ☐ SCALS

Adapting the Anterior Lingual Stain Remover



The spoon end is for upper anteriors



The hoe end is for lower anteriors



Cumine #152 Large spoon end for stain removal with a sickle for supragingival scaling.

Handle Selection: ☒ CESCUMINE (shown) ☐ RESCUMINE ☐ ESCUMINE ☐ RSCUMINE ☐ SCCUMINE



Contra-Angle Hoe #45A-46A Mirror image hoes that have opposing 10° cutting edge angles across the 2.5 mm blades that are set on contra-angle shanks.

Handle Selection: ☒ CESC45A-46A (shown) ☐ RESC45A-46A ☐ ESC45A-46A ☐ RSC45A-46A ☐ SC45A-46A



Straight Hoe #45-46 Mirror image hoes that have opposing 10° cutting edge angles across the 2.5 mm blades that are set on a straight shank.

Handle Selection: ☒ CESC45-46 (shown) ☐ RESC45-46 ☐ ESC45-46 ☐ RSC45-46 ☐ SC45-46



Urban Hoe #6-7 Mirror image with 1.5 mm blades that are set on 12 mm long shanks that are angled at 35° for anterior application.

Handle Selection: ☒ CESCORG-7 (shown) ☐ RESCORG-7 ☐ ESCORG-7 ☐ RSCORG-7 ☐ SCORG-7



Urban Hoe #8-9 Mirror image with 1.5 mm blades that are set on 12 mm long shanks that are angled at 35° for posterior application.

Handle Selection: ☒ CESCORG-9 (shown) ☐ RESCORG-9 ☐ ESCORG-9 ☐ RSCORG-9 ☐ SCORG-9

ANTERIOR SCALERS

Jacquettes



Jacquette #1-1S Large and small combination. The large blade is 5 mm long with a 1 mm blade width that tapers to a point. The small blade is 4 mm long with a 0.9 mm blade width that tapers to a point. This Jacquette is also known as the #30-33.

Handle Selection:	<input checked="" type="radio"/> CESCJ1-1S (shown)	<input type="radio"/> RESCJ1-1S	<input type="radio"/> ESCJ1-1S	<input type="radio"/> RSCJ1-1S	<input type="radio"/> SCJ1-1S
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Morse #0-00 Both tips have a straight shank with very fine Jacquette blades. The #0 blade is 3.5 mm long with a 0.7 mm width that tapers to a point. The #00 blade is 2 mm long with a 0.6 mm width that tapers to a point. Extremely useful for pits and fissures on occlusal surfaces.

Handle Selection:	<input checked="" type="radio"/> CESC00-00 (shown)	<input type="radio"/> RESC00-00	<input type="radio"/> ESC00-00	<input type="radio"/> RSC00-00	<input type="radio"/> SCM0-00
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------

Jacquette/Sickle Combinations



Goldman Fox 21S - Towner U15 Combines a small Jacquette blade that has a 4 mm long and 0.7 mm blade width that tapers to a point with a long-reach Towner U15 sickle that has a blade width of 1 mm that tapers to a point.

Handle Selection:	<input checked="" type="radio"/> CESC21S-U15 (shown)	<input type="radio"/> RESC21S-U15	<input type="radio"/> ESC21S-U15	<input type="radio"/> RSC21S-U15	<input type="radio"/> SC21S-U15
-------------------	--	-----------------------------------	----------------------------------	----------------------------------	---------------------------------



Jacquette #1S - Sickle N5 Combines a small size, straight blade jacquette that has a 0.9 mm blade width that tapers to a point with a moderate size, medium-reach N5 sickle that has a blade width of 0.9 mm that tapers to a point. Also known as the #H5-33.

Handle Selection:	<input checked="" type="radio"/> CESCJ1S-N5 (shown)	<input type="radio"/> RESCJ1S-N5	<input type="radio"/> ESCJ1S-N5	<input type="radio"/> RSCJ1S-N5	<input type="radio"/> SCJ1S-N5
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------



Jacquette #1 - Towner U15 Combines a larger size, straight blade jacquette that has a 1.0 mm blade width that tapers to a point with a long-reach Towner U15 sickle that has a blade width of 1 mm that tapers to a point. Also known as the U15-30.

Handle Selection:	<input checked="" type="radio"/> CESCJ1-U15 (shown)	<input type="radio"/> RESCJ1-U15	<input type="radio"/> ESCJ1-U15	<input type="radio"/> RSCJ1-U15	<input type="radio"/> SCJ1-U15
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------



Jacquette #1S - Towner U15 Combines a small size, straight blade jacquette that has a 0.9 mm blade width that tapers to a point with a long-reach Towner U15 sickle that has a blade width of 1 mm that tapers to a point. Also known as the U15-33.

Handle Selection:	<input checked="" type="radio"/> CESCJ1S-U15 (shown)	<input type="radio"/> RESCJ1S-U15	<input type="radio"/> ESCJ1S-U15	<input type="radio"/> RSCJ1S-U15	<input type="radio"/> SCJ1S-U15
-------------------	--	-----------------------------------	----------------------------------	----------------------------------	---------------------------------

POSTERIOR SCALERS

Posterior Scalers are used to remove deposits from supragingival surfaces of posterior teeth. There are two basic design classifications for posterior scalers. They are Jacquette scalers (straight blade that tapers to a point) and sickle scalers (curved blade that tapers to a point). In this section you will find a wide assortment of standard and unique posterior scalers for every application.

Jacquettes



Jacquette #2-3 Mirror image Jacquette. Both blades are 5 mm long and have a blade width of 1 mm. Also known as the #31-32.

Handle Selection:



CESCJ2-3 (shown)



RESCJ2-3



ESCJ2-3



RSCJ2-3



SCJ2-3



Jacquette #2S-3S Mirror image Jacquette. Both blades are 4 mm long and have a blade width of 0.9 mm. Also known as the #34-35.

Handle Selection:



CESCJ2S-3S (shown)



RESCJ2S-3S



ESCJ2S-3S



RSCJ2S-3S



SCJ2S-3S

Sickles



Sickle #157-158 Mirror image blades on a long-reach terminal shank that is set at 40° to the handle. The blades have a reach of 5 mm and a width of 0.8 mm.

Handle Selection:



CESC157-158 (shown)



RESC157-158



ESC157-158



RSC157-158



SC157-158



Sickle #204 Mirror image blades on a long-reach terminal shank that is set at 30° to the handle. The blades have a reach of 5.5 mm and a width of 1.1 mm.

Handle Selection:



CESC204 (shown)



RESC204



ESC204



RSC204



SC204



Sickle #204 "Indiana University-Fort Wayne" Mirror image blades on a long-reach terminal shank that is set at 30° to the handle. The blades have a reach of 5.5 mm and a width of 0.9 mm.

Handle Selection:



CESC204IUFW (shown)



RESC204IUFW



ESC204IUFW



RSC204IUFW



SC204IUFW



Sickle #204S Mirror image blades on a short-reach terminal shank that is set at 40° to the handle. The blades have a reach of 4.5 mm and a width of 0.9 mm.

Handle Selection:



CESC204S (shown)



RESC204S



ESC204S



RSC204S



SC204S



Sickle #204SD "Distal" Mirror image blades on a short-reach terminal shank that is set at 25° to the handle. The blades have a reach of 4.5 mm and a width of 0.9 mm.

Handle Selection:



CESC204SD (shown)



RESC204SD



ESC204SD



RSC204SD



SC204SD

POSTERIOR SCALERS

Sickles



Nordent #129 Anterior / Posterior Sickle Mirror image blades on a medium-reach terminal shank. The blades taper to a point from a 0.8 mm width and have a reach of 10 mm.

- Handle Selection:
- | | | | | |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|
| <input checked="" type="radio"/> CESC129 (shown) | <input type="radio"/> RESC129 | <input type="radio"/> ESC129 | <input type="radio"/> RSC129 | <input type="radio"/> SC129 |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|

Adapting the Nordent #129

The unique bends of the N129 allow for astonishingly easy adaptation to any area without excess adjustment. The long slender sickle blade makes interproximal insertion easy for you and more comfortable for the patient. Another example of a unique Nordent innovation.



Remington #3-4 Anterior / Posterior Sickle Mirror image blades on a long-reach terminal shank. The blades taper to a point from a 1.1 mm width and have a reach of 13 mm.

- Handle Selection:
- | | | | | |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|
| <input checked="" type="radio"/> CESC3-4 (shown) | <input type="radio"/> RESC3-4 | <input type="radio"/> ESC3-4 | <input type="radio"/> RSC3-4 | <input type="radio"/> SC3-4 |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|



Remington K Mirror image blades on a medium-reach terminal shank that is set at 30° to the handle. The blades have a very gentle curvature and a width of 0.8 mm.

- Handle Selection:
- | | | | | |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|
| <input checked="" type="radio"/> CESC3-4 (shown) | <input type="radio"/> RESC3-4 | <input type="radio"/> ESC3-4 | <input type="radio"/> RSC3-4 | <input type="radio"/> SC3-4 |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|



Sickle Doepler #M-23 Mirror image blades on a medium-reach terminal shank that is set at 25° to the handle. The blades have a reach of 4 mm and a width of 1 mm.

- Handle Selection:
- | | | | | |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|
| <input checked="" type="radio"/> CESC130 (shown) | <input type="radio"/> RESC130 | <input type="radio"/> ESC130 | <input type="radio"/> RSC130 | <input type="radio"/> SC130 |
|--|-------------------------------|------------------------------|------------------------------|-----------------------------|

POSTERIOR SCALERS

Sickles



Offset Universal #2 Mirror image blades that taper to a point from a 0.8 mm width. The terminal shank is offset 60° from centerline and has a 10 mm reach.

Handle Selection:



CESCN2 (shown)



RESCN2



ESCNC2



RSCN2



SCN2



University of Texas #107-108 Mirror image blades that taper to a point from a 1 mm width. The terminal shank is set at 40° to the handle with a reach of 13 mm.

Handle Selection:



CESCUT107-108 (shown)



RESCUT107-108



ESCUT107-108



RSCUT107-108



SCUT107-108



Taylor #2-3 Mirror image blades that taper to a point from a 1.5 mm width. The terminal shank reach is 11 mm and is set at 40° to the handle.

Handle Selection:



CESCTA2-3 (shown)



RESCTA2-3



ESCTA2-3



RSCTA2-3



SCTA2-3



Ivory #2-3 Mirror image blades that taper to a point from a 2 mm width. The terminal shank is set at 32° to the handle with a reach of 13 mm.

Handle Selection:



CESCI2-3 (shown)



RESCI2-3



ESCI2-3



RSCI2-3



SCI2-3



Crane Kaplan #6 Mirror image blades that taper to a point from a 2 mm width. The terminal shank is set at 35° to the handle with a reach of 15 mm.

Handle Selection:



CESCK6 (shown)



RESCK6



ESCK6



RSCCK6



SCCK6

Nordent Tip

When sharpening, it is important to maintain original factory blade angles for optimum results. The closer you can match the original factory angles, the longer the blade will retain sharpness. Proper sharpening techniques will eliminate the need to re-sharpen blades during a procedure and reduce the hazard of sharpening a "dirty" instrument.

*To simplify the sharpening process and achieve professional results every time, Nordent developed the **InstRenew® Sharpening Assistant** as an easy and cost-effective way to restore the perfect factory sharpness of every brand and every pattern of scalers and curettes on the market. InstRenew can be found in the Sharpening Supplies section of this catalog. See InstRenew in action—for a complete video demonstration, go to www.nordent.com/instrenew.*

It's as easy as 1-2-3... That's it, you're done!

SCALETTE®

Nordent was the first instrument manufacturer to develop a series of hygiene instruments that combine the design characteristics of a scaler and a curette into one easier-to-use instrument. Using a Nordent Scalette will save time during the procedure, space on the tray and will reduce instrument replacement costs.



Anterior Scalette N137M

Combines a moderate size, medium-reach sickle that has a blade width of 0.9 mm that tapers to a point with a universal curette that has sharp cutting edges on both sides of the blade and a rounded toe. The curette has a 0.8 mm blade width and a 1mm diameter terminal shank with a 9 mm reach.

Handle Selection:	<input checked="" type="radio"/> CESC137M (shown)	<input type="radio"/> RESCN137M	<input type="radio"/> ESCN137M	<input type="radio"/> RSCN137M	<input type="radio"/> SCN137M
-------------------	---	---------------------------------	--------------------------------	--------------------------------	-------------------------------

The Nordent #137M

The Anterior Scalette® N137M combines the most popular Sickle Scaler with a universal (double-edged) Anterior Curette that adapts to all anterior surfaces. Saves you time, space on the tray and reduces replacement costs.

Also available with a mini blade and extended terminal shank version N137ML (below).



Anterior N137ML Long Reach

Combines a moderate size, medium-reach sickle that has a blade width of 0.9 mm that tapers to a point with a universal curette that has sharp cutting edges on both sides of the blade and a rounded toe. The Long Reach curette has a 0.8 mm blade width and a 1 mm diameter terminal shank with a 12 mm reach.

Handle Selection:	<input checked="" type="radio"/> CESC137ML (shown)	<input type="radio"/> RESCN137ML	<input type="radio"/> ESCN137ML	<input type="radio"/> RSCN137ML	<input type="radio"/> SCN137ML
-------------------	--	----------------------------------	---------------------------------	---------------------------------	--------------------------------



Posterior Scalette N135

Combines a long-reach shank and a thin curette blade that is pointed like a scaler to provide easy adaptation to both supra and sub-gingival areas and excellent interproximal access. The mirror image tips have a 0.8 mm blade width set on 1 mm terminal shanks with a 12 mm reach.

Handle Selection:	<input checked="" type="radio"/> CESC135 (shown)	<input type="radio"/> RESCN135	<input type="radio"/> ESCN135	<input type="radio"/> RSCN135	<input type="radio"/> SCN135
-------------------	--	--------------------------------	-------------------------------	-------------------------------	------------------------------

GOLDMAN-FOX

The Goldman-Fox series of instruments includes universal curettes, Jacquettes, sickles and hoes.

Scalers & Curettes



GF #1 Anterior Jacquette The blades are 5 mm long and taper to a point from a 1 mm width.

Handle Selection: ☒ CESC GF1 (shown) ☐ RESC GF1 ☐ ESC GF1 ☐ RSC GF1 ☐ SC GF1



GF #2 Anterior Curette Designed like a Gracey medium contra-angle with an open blade curve and a rigid shank. The blade is 1.1 mm wide with a round toe.

Handle Selection: ☒ CESC GF2 (shown) ☐ RESC GF2 ☐ ESC GF2 ☐ RSC GF2 ☐ SC GF2



GF #3 Universal Curette The terminal shank is 1.1 mm in diameter and 10 mm long. The blade width is 1 mm.

Handle Selection: ☒ CESC GF3 (shown) ☐ RESC GF3 ☐ ESC GF3 ☐ RSC GF3 ☐ SC GF3



GF #4 Universal Curette The terminal shank is 1.1 mm in diameter and 12 mm long. The blade width is 1 mm.

Handle Selection: ☒ CESC GF4 (shown) ☐ RESC GF4 ☐ ESC GF4 ☐ RSC GF4 ☐ SC GF4



GF #5 Hoe Mirror image hoes that are 1.5 mm wide. For facial and lingual surfaces of posterior teeth.

Handle Selection: ☒ CESC GF5 (shown) ☐ RESC GF5 ☐ ESC GF5 ☐ RSC GF5 ☐ SC GF5



GF #6 Hoe The blades are 1.5 mm wide and are well-suited for anterior areas.

Handle Selection: ☒ CESC GF6 (shown) ☐ RESC GF6 ☐ ESC GF6 ☐ RSC GF6 ☐ SC GF6



GF #21 Anterior Scaler Combines a small Jacquette that has a 3.5 mm length and a small sickle that has a 1.2 mm blade that tapers to a point.

Handle Selection: ☒ CESC GF21 (shown) ☐ RESC GF21 ☐ ESC GF21 ☐ RSC GF21 ☐ SC GF21

CURETTES

Barnhart

Barnhart curettes have universal blades that have sharp cutting edges on both sides of the blade and a rounded toe. The terminal shanks of Barnhart curettes are long and slender.



Barnhart #1-2 The terminal shank is 1 mm in diameter and 16 mm long with a blade width of 0.8 mm.

Handle Selection:	<input checked="" type="radio"/> CESC BH1-2 (shown)	<input type="radio"/> RESCBH1-2	<input type="radio"/> ESCBH1-2	<input type="radio"/> RSCBH1-2	<input type="radio"/> SCBH1-2
-------------------	---	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Barnhart #5-6 The terminal shank is 1 mm in diameter and 10 mm long with a blade width of 0.8 mm.

Handle Selection:	<input checked="" type="radio"/> CESC BH5-6 (shown)	<input type="radio"/> RESCBH5-6	<input type="radio"/> ESCBH5-6	<input type="radio"/> RSCBH5-6	<input type="radio"/> SCBH5-6
-------------------	---	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Barnhart #5S-6S Modified Barnhart 5-6 with slender blades. The terminal shank is 10 mm long with a blade width of 0.7 mm.

Handle Selection:	<input checked="" type="radio"/> CESC BH5S-6S (shown)	<input type="radio"/> RESCBH5S-6S	<input type="radio"/> ESCBH5S-6S	<input type="radio"/> RSCBH5S-6S	<input type="radio"/> SCBH5S-6S
-------------------	---	-----------------------------------	----------------------------------	----------------------------------	---------------------------------



Barnhart #5R-6R Modified Barnhart 5-6 with a rigid terminal shank. The terminal shank is 1.2 mm in diameter and 10 mm long with a blade width of 0.9 mm.

Handle Selection:	<input checked="" type="radio"/> CESC BH5R-6R (shown)	<input type="radio"/> RESCBH5R-6R	<input type="radio"/> ESCBH5R-6R	<input type="radio"/> RSCBH5R-6R	<input type="radio"/> SCBH5R-6R
-------------------	---	-----------------------------------	----------------------------------	----------------------------------	---------------------------------

Columbia

Columbia curettes have universal blades that have sharp cutting edges on both sides of the blade and a rounded toe.



Columbia #13-14 The terminal shank is 1 mm in diameter and 8 mm long with a blade width of 0.9 mm.

Handle Selection:	<input checked="" type="radio"/> CESC C013-14 (shown)	<input type="radio"/> RESCC013-14	<input type="radio"/> ESCC013-14	<input type="radio"/> RSCC013-14	<input type="radio"/> SCC013-14
-------------------	---	-----------------------------------	----------------------------------	----------------------------------	---------------------------------



Columbia #2R-2L The terminal shank is 1.2 mm in diameter and 14 mm long with an elliptical blade shape that is 1.2 mm wide.

Handle Selection:	<input checked="" type="radio"/> CESC C02R-2L (shown)	<input type="radio"/> RESCC02R-2L	<input type="radio"/> ESCC02R-2L	<input type="radio"/> RSCC02R-2L	<input type="radio"/> SCC02R-2L
-------------------	---	-----------------------------------	----------------------------------	----------------------------------	---------------------------------



Columbia #4R-4L The terminal shank is 1.1 mm in diameter and 12 mm long with an elliptical blade shape that is 1.2 mm wide.

Handle Selection:	<input checked="" type="radio"/> CESC C04R-4L (shown)	<input type="radio"/> RESCC04R-4L	<input type="radio"/> ESCC04R-4L	<input type="radio"/> RSCC04R-4L	<input type="radio"/> SCC04R-4L
-------------------	---	-----------------------------------	----------------------------------	----------------------------------	---------------------------------

CURETTES

Langer

Langer cures have shank angles like Gracey cures. The blades are universal so they have sharp cutting edges on both sides of the blade with a rounded toe and are set at a 90° angle to the terminal shank.



Langer #1-2 Has bends similar to the Gracey 11-12. The terminal shank is 1 mm in diameter and 9 mm long with a blade width of 0.9 mm.

Handle Selection:

☒ CESCLN1-2 (shown)

☐ RESCLN1-2

☐ ESCLN1-2

☐ RSCLN1-2

☐ SCLN1-2



Langer #3-4 Has bends similar to the Gracey 13-14. The terminal shank is 1 mm in diameter and 9 mm long with a blade width of 0.9 mm.

Handle Selection:

☒ CESCLN3-4 (shown)

☐ RESCLN3-4

☐ ESCLN3-4

☐ RSCLN3-4

☐ SCLN3-4



Langer #5-6 Has bends similar to the Gracey 7-8. The terminal shank is 1 mm in diameter and 16 mm long with a blade width of 0.9 mm.

Handle Selection:

☒ CESCLN5-6 (shown)

☐ RESCLN5-6

☐ ESCLN5-6

☐ RSCLN5-6

☐ SCLN5-6



Langer #17-18 Has bends similar to the Gracey 17-18. The terminal shank is 1 mm in diameter and 11 mm long with a blade width of 0.9 mm.

Handle Selection:

☒ CESCLN17-18 (shown)

☐ RESCLN17-18

☐ ESCLN17-18

☐ RSCLN17-18

☐ SCLN17-18

University of California



Ratcliff #3-4 Mirror image universal curette with 0.7 mm blade width, a terminal shank set at 45° to the handle and a 10 mm reach.

Handle Selection:

☒ CESCR3-R4 (shown)

☐ RESCR3-R4

☐ ESCR3-R4

☐ RSCR3-R4

☐ SCR3-R4



Rule #3-4 Mirror image universal curette with 0.8 mm blade width, a terminal shank set at 47° to the handle and a 10 mm reach.

Handle Selection:

☒ CESCUC3-4 (shown)

☐ RESCUC3-4

☐ ESCUC3-4

☐ RSCUC3-4

☐ SCUC3-4

CURETTES

Indiana University



IU #13-14 The terminal shanks are 1.1 mm in diameter and 13 mm long. The blades are 1.1 mm wide and have a gentle curve that tapers to a point.

Handle Selection:	<input checked="" type="radio"/> CESCUI13-14 (shown)	<input type="radio"/> RESCUI13-14	<input type="radio"/> ESCUI13-14	<input type="radio"/> RSCUI13-14	<input type="radio"/> SCUI13-14
-------------------	--	-----------------------------------	----------------------------------	----------------------------------	---------------------------------



IU #17-18 The shank curvature adapts easily to 2nd and 3rd molars. The blades have a rounded toe and are 1 mm wide.

Handle Selection:	<input checked="" type="radio"/> CESCUI17-18 (shown)	<input type="radio"/> RESCUI17-18	<input type="radio"/> ESCUI17-18	<input type="radio"/> RSCUI17-18	<input type="radio"/> SCUI17-18
-------------------	--	-----------------------------------	----------------------------------	----------------------------------	---------------------------------

McCall

McCall curettes have universal blades that have sharp cutting edges on both sides of the blade.



McCall #13-14 The terminal shanks are 1.1 mm in diameter and 9 mm long with an elliptical blade shape with a rounded toe that is 1.2 mm wide.

Handle Selection:	<input checked="" type="radio"/> CESC13-14 (shown)	<input type="radio"/> RESC13-14	<input type="radio"/> ESC13-14	<input type="radio"/> RSC13-14	<input type="radio"/> SC13-14
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



McCall #13S-14S The terminal shank is 1.1 mm in diameter and 9 mm long with a pointed blade shape that is 1 mm wide.

Handle Selection:	<input checked="" type="radio"/> CESC13S-14S (shown)	<input type="radio"/> RESC13S-14S	<input type="radio"/> ESC13S-14S	<input type="radio"/> RSC13S-14S	<input type="radio"/> SC13S-14S
-------------------	--	-----------------------------------	----------------------------------	----------------------------------	---------------------------------



McCall #17-18 The shank curvature adapts easily to 2nd and 3rd molars. The elliptical blade shape has a rounded toe and is 1.2 mm wide.

Handle Selection:	<input checked="" type="radio"/> CESC17-18 (shown)	<input type="radio"/> RESC17-18	<input type="radio"/> ESC17-18	<input type="radio"/> RSC17-18	<input type="radio"/> SC17-18
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



McCall #17S-18S The shank curvature adapts easily to 2nd and 3rd molars. The straight-sided universal blade has a rounded toe and is 1 mm wide.

Handle Selection:	<input checked="" type="radio"/> CESC17S-18S (shown)	<input type="radio"/> RESC17S-18S	<input type="radio"/> ESC17S-18S	<input type="radio"/> RSC17S-18S	<input type="radio"/> SC17S-18S
-------------------	--	-----------------------------------	----------------------------------	----------------------------------	---------------------------------

CURETTES



Younger-Good #7-8

The shank curvature adapts easily to 2nd and 3rd molars. The elliptical blade shape has a rounded toe and is 1 mm wide.

Handle Selection:



CESCYG7-8 (shown)



RESCYG7-8



ESCYG7-8



RSCYG7-8



SCYG7-8



#31-32 Curette

The terminal shank is 1 mm in diameter and 9 mm long. The blade is 0.8 mm wide with a rounded toe.

Handle Selection:



CESC31-32 (shown)



RESC31-32



ESC31-32



RSC31-32



SC31-32

DIAMOND FURCATION FILES

Diamond-coated furcation files have a thin profile for easy sub-gingival access. The tips are made from a special spring tempered stainless steel that resists breakage. The blades have a fine diamond coating on the inside curvature that is used to remove calculus and a smooth, uncoated back to protect soft tissue. The cutting action of the diamond coating allows a multidirectional stroke pattern.




Diamond File #1

Mirror image tips for facial and lingual adaptation. The blade has a round shape and is 1.0 mm in diameter.

Handle Selection:



CEDF1 (shown)




Diamond File #2

The blades are set at opposing angles and have a round shape that is 1.0 mm in diameter set on a 14 mm terminal shank. Excellent for mesial and distal adaptation.

Handle Selection:



CEDF2 (shown)



Diamond File #3

Designed to cover a wider area in tight mesial and distal areas. The flattened "tear drop" shaped blade is 2 mm wide and 0.5 mm thick. The terminal shank allows a 14 mm reach.

Handle Selection:



CEDF3 (shown)

IMPLANT MAINTENANCE

Introducing ImplaMate™—“The Ultimate in Implant Scaler Technology!” Until now, clinicians have relied on a limited selection of instruments with thick plastic tips to clean implants. This is because regular scaler tips made of metals that are dissimilar to titanium (like stainless steel) could scratch the implant and possibly cause rejection. Our series of ImplaMate scalers work safely with implants because they are made with the same material—solid titanium. Even better, ImplaMate scalers are available in a wide range of familiar patterns that are easy to adapt with no “learning curve.” Produced in our DuraLite® ColorRings™ handle, ImplaMate implant scalers will also enable your practice to identify and organize implant hygiene set-ups. All tips are color-coded PURPLE for easy identification and to avoid mixing them with stainless scalers and curettes.



ImplaMate Universal Curette/Langer 1-2

Handle Selection: CEISLN1-2 (shown)



ImplaMate Universal Curette/Langer 3-4

Handle Selection: CEISLN3-4 (shown)



ImplaMate Universal Curette/Langer 5-6

Handle Selection: CEISLN5-6 (shown)



ImplaMate Sickle 6-7

Handle Selection: CEISN67 (shown)



ImplaMate Posterior Sickle 204S

Handle Selection: CEIS204S (shown)



ImplaMate Universal Curette/Barnhart 5-6

Handle Selection: CEISBH5-6 (shown)



ImplaMate Anterior Scalette® N137M


Handle Selection: CEISN137M (shown)

GRACEY CURETTES

Nordent's Gracey curettes are designed just like Dr. Gracey intended them to be. Using Nordent Gracey curettes will reduce tissue trauma, minimize lateral pressure and reduce the number of strokes required during a procedure.

All Nordent Gracey patterns are available in:

- Standard
- Rigid ("R" suffix)
- Long ("L" suffix)
- Mini-Long ("ML" suffix)



Gracey Designs

Standard

Standard terminal shank and blade.

Rigid


"Rigid" terminal shank with a slightly longer and wider blade than a standard Gracey. A good choice for periodontal surgery.

Long

The terminal shank is 3 mm longer than the standard Gracey with a standard blade. For improved access in deep periodontal pockets.

Mini-Long

The terminal shank is 3 mm longer than the standard Gracey with a shorter and narrower "mini" blade. Excellent for periodontal maintenance in deep pockets.



Gracey Application Chart


Use this color-coded chart to select the correct Gracey patterns for your application.

Anteriors

-  All Surfaces
Gracey Patterns 1-2, 3-4 or 5-6

Premolars and Molars

-  Buccal & Lingual Surfaces
Gracey Patterns 7-8 or 9-10
-  Mesial Surfaces
Gracey Patterns 11-12 or 15-16
-  Distal Surfaces
Gracey Patterns 13-14 or 17-18



GRACEY CURETTES

Nordent standard Gracey curettes feature a blade face curve with a true radius that conforms to tooth anatomy better than any other brand. This means that Nordent standard Gracey curettes are easier to adapt, require fewer strokes, and reduce tissue trauma better than any other brand. Nordent standard Gracey curettes have a 1.1 mm terminal shank diameter and blades that are 0.9 mm wide and 4 mm long.

Standard



Gracey #1-2 Short contra-angle for incisors and cuspids. Terminal shank reach is 11 mm.

Handle Selection:	<input checked="" type="radio"/> CESCGR1-2 (shown)	<input type="radio"/> RESCGR1-2	<input type="radio"/> ESCGR1-2	<input type="radio"/> RSCGR1-2	<input type="radio"/> SCGR1-2
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Gracey #3-4 Short contra-angle for incisors and cuspids. Terminal shank reach is 11 mm.

Handle Selection:	<input checked="" type="radio"/> CESCGR3-4 (shown)	<input type="radio"/> RESCGR3-4	<input type="radio"/> ESCGR3-4	<input type="radio"/> RSCGR3-4	<input type="radio"/> SCGR3-4
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Gracey #5-6 Medium shank and slight contra-angle for bicuspid and molars. Terminal shank reach is 14 mm.

Handle Selection:	<input checked="" type="radio"/> CESCGR5-6 (shown)	<input type="radio"/> RESCGR5-6	<input type="radio"/> ESCGR5-6	<input type="radio"/> RSCGR5-6	<input type="radio"/> SCGR5-6
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Gracey #7-8 Medium contra-angle for facial and lingual surfaces of bicuspid and molars. Terminal shank reach is 12 mm.

Handle Selection:	<input checked="" type="radio"/> CESCGR7-8 (shown)	<input type="radio"/> RESCGR7-8	<input type="radio"/> ESCGR7-8	<input type="radio"/> RSCGR7-8	<input type="radio"/> SCGR7-8
-------------------	--	---------------------------------	--------------------------------	--------------------------------	-------------------------------



Gracey #9-10 Long contra-angle for molars and less accessible root surfaces. Terminal shank reach is 12 mm.

Handle Selection:	<input checked="" type="radio"/> CESCGR9-10 (shown)	<input type="radio"/> RESCGR9-10	<input type="radio"/> ESCGR9-10	<input type="radio"/> RSCGR9-10	<input type="radio"/> SCGR9-10
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------

Nordent Tip

Gracey curettes are also known as “Area Specific Curettes.” All Gracey’s have one cutting edge on the lower side of the blade and a rounded toe. When re-sharpening a Gracey blade, sharpen the lower edge and the toe only. Visit www.nordent.com/instrenew to see a video demonstration of a simple and effective way to sharpen any brand and any pattern of scalers and curettes.

A complete set of Gracey curettes would include one for anteriors, one for the buccal and lingual surfaces of pre-molars and molars, one for the mesial surfaces of pre-molars and molars, and one for the distal surfaces of premolars and molars.

GRACEY CURETTES

Standard



Gracey #11-12 All mesial surfaces of bicuspid and molars. Terminal shank reach is 8 mm.

Handle Selection: ☒ CESCGR11-12 (shown) ☐ RESCGR11-12 ☐ ESCGR11-12 ☐ RSCGR11-12 ☐ SCGR11-12



Gracey #13-14 All distal surfaces of bicuspid and molars. Terminal shank reach is 9 mm.

Handle Selection: ☒ CESCGR13-14 (shown) ☐ RESCGR13-14 ☐ ESCGR13-14 ☐ RSCGR13-14 ☐ SCGR13-14



Gracey #11-14 Mesial Distal Combination combines the mesial tip of the Gracey 11 and the distal Gracey 14 tip to allow completion of the facial or lingual sextant without changing instruments.

Handle Selection: ☒ CESCGR11-14 (shown) ☐ RESCGR11-14 ☐ ESCGR11-14 ☐ RSCGR11-14 ☐ SCGR11-14



Gracey #12-13 Mesial Distal Combination combines the mesial tip of the Gracey 12 and the distal Gracey 13 tip to allow completion of the facial or lingual sextant without changing instruments.

Handle Selection: ☒ CESCGR12-13 (shown) ☐ RESCGR12-13 ☐ ESCGR12-13 ☐ RSCGR12-13 ☐ SCGR12-13



Gracey #15-16 Modified version of the Gracey 11-12 allows better access and a more comfortable hand and finger position for all mesial surfaces of bicuspid and molars. The terminal shank reach is 9 mm.

Handle Selection: ☒ CESCGR15-16 (shown) ☐ RESCGR15-16 ☐ ESCGR15-16 ☐ RSCGR15-16 ☐ SCGR15-16



Gracey #17-18 Modified version of the Gracey 13-14 allows better access and a more comfortable hand and finger position for all distal surfaces of bicuspid and molars. The terminal shank reach is 7 mm.

Handle Selection: ☒ CESCGR17-18 (shown) ☐ RESCGR17-18 ☐ ESCGR17-18 ☐ RSCGR17-18 ☐ SCGR17-18

GRACEY CURETTES

Long Reach

Nordent long reach Gracey curettes have an extended terminal shank that is 3 mm longer than standard. They feature our standard blade face curve with a true radius that conforms to tooth anatomy better than any other brand. This means that Nordent standard Gracey curettes are easier to adapt, require fewer strokes, and reduce tissue trauma better than any other brand. Nordent standard Gracey curettes have a 1.1 mm terminal shank diameter and blades that are 0.9 mm wide and 4 mm long.



Long Reach Gracey #1-2 Short contra-angle for incisors and cuspids.

Handle Selection:	<input checked="" type="radio"/> CESCGR1-2L (shown)	<input type="radio"/> RESCGR1-2L	<input type="radio"/> ESCGR1-2L	<input type="radio"/> RSCGR1-2L	<input type="radio"/> SCGR1-2L
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------



Long Reach Gracey #3-4 Short contra-angle for incisors and cuspids.

Handle Selection:	<input checked="" type="radio"/> CESCGR3-4L (shown)	<input type="radio"/> RESCGR3-4L	<input type="radio"/> ESCGR3-4L	<input type="radio"/> RSCGR3-4L	<input type="radio"/> SCGR3-4L
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------



Long Reach Gracey #5-6 Medium shank and slight contra-angle for bicuspid and molars.

Handle Selection:	<input checked="" type="radio"/> CESCGR5-6L (shown)	<input type="radio"/> RESCGR5-6L	<input type="radio"/> ESCGR5-6L	<input type="radio"/> RSCGR5-6L	<input type="radio"/> SCGR5-6L
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------



Long Reach Gracey #7-8 Medium contra-angle for facial and lingual surfaces of bicuspid and molars.

Handle Selection:	<input checked="" type="radio"/> CESCGR7-8L (shown)	<input type="radio"/> RESCGR7-8L	<input type="radio"/> ESCGR7-8L	<input type="radio"/> RSCGR7-8L	<input type="radio"/> SCGR7-8L
-------------------	---	----------------------------------	---------------------------------	---------------------------------	--------------------------------



Long Reach Gracey #11-12 All mesial surfaces of bicuspid and molars.

Handle Selection:	<input checked="" type="radio"/> CESCGR11-12L (shown)	<input type="radio"/> RESCGR11-12L	<input type="radio"/> ESCGR11-12L	<input type="radio"/> RSCGR11-12L	<input type="radio"/> SCGR11-12L
-------------------	---	------------------------------------	-----------------------------------	-----------------------------------	----------------------------------



Long Reach Gracey #13-14 All distal surfaces of bicuspid and molars.

Handle Selection:	<input checked="" type="radio"/> CESCGR13-14L (shown)	<input type="radio"/> RESCGR13-14L	<input type="radio"/> ESCGR13-14L	<input type="radio"/> RSCGR13-14L	<input type="radio"/> SCGR13-14L
-------------------	---	------------------------------------	-----------------------------------	-----------------------------------	----------------------------------



Long Reach Gracey #15-16 Modified version of the Long Reach Gracey 11-12 allows better access and more comfortable hand and finger position for all mesial surfaces of bicuspid and molars.

Handle Selection:	<input checked="" type="radio"/> CESCGR15-16L (shown)	<input type="radio"/> RESCGR15-16L	<input type="radio"/> ESCGR15-16L	<input type="radio"/> RSCGR15-16L	<input type="radio"/> SCGR15-16L
-------------------	---	------------------------------------	-----------------------------------	-----------------------------------	----------------------------------



Long Reach Gracey #17-18 Modified version of the Long Reach Gracey 13-14 allows better access and more comfortable hand and finger position for all distal surfaces of bicuspid and molars.

Handle Selection:	<input checked="" type="radio"/> CESCGR17-18L (shown)	<input type="radio"/> RESCGR17-18L	<input type="radio"/> ESCGR17-18L	<input type="radio"/> RSCGR17-18L	<input type="radio"/> SCGR17-18L
-------------------	---	------------------------------------	-----------------------------------	-----------------------------------	----------------------------------

GRACEY CURETTES

Mini Blade – Long Reach

Nordent Mini Blade – Long Reach Gracey curettes have a shorter, narrower blade and an extended terminal shank that is 3 mm longer than standard. They feature our blade face curve with a true radius that conforms to tooth anatomy better than any other brand. This means that Nordent Gracey curettes are easier to adapt, require fewer strokes, and reduce tissue trauma better than any other brand. Nordent Mini Blade – Long Reach Gracey curettes have a 1 mm terminal shank diameter and blades that are 0.7 mm wide and 3 mm long.



Mini Blade – Long Reach Gracey #1-2

Short contra-angle for incisors and cuspids.

Handle Selection: ☒ CESCGR1-2ML (shown) ☐ RESCGR1-2ML ☐ ESCGR1-2ML ☐ RSCGR1-2ML ☐ SCGR1-2ML



Mini Blade – Long Reach Gracey #3-4

Short contra-angle for incisors and cuspids.

Handle Selection: ☒ CESCGR3-4ML (shown) ☐ RESCGR3-4ML ☐ ESCGR3-4ML ☐ RSCGR3-4ML ☐ SCGR3-4ML



Mini Blade – Long Reach Gracey #5-6

Medium shank and slight contra-angle for bicuspid and molars.

Handle Selection: ☒ CESCGR5-6ML (shown) ☐ RESCGR5-6ML ☐ ESCGR5-6ML ☐ RSCGR5-6ML ☐ SCGR5-6ML



Mini Blade – Long Reach Gracey #7-8

Medium contra-angle for facial and lingual surfaces of bicuspid and molars.

Handle Selection: ☒ CESCGR7-8ML (shown) ☐ RESCGR7-8ML ☐ ESCGR7-8ML ☐ RSCGR7-8ML ☐ SCGR7-8ML



Mini Blade – Long Reach Gracey #11-12

All mesial surfaces of bicuspid and molars.

Handle Selection: ☒ CESCGR11-12ML (shown) ☐ RESCGR11-12ML ☐ ESCGR11-12ML ☐ RSCGR11-12ML ☐ SCGR11-12ML



Mini Blade – Long Reach Gracey #13-14

All distal surfaces of bicuspid and molars.

Handle Selection: ☒ CESCGR13-14ML (shown) ☐ RESCGR13-14ML ☐ ESCGR13-14ML ☐ RSCGR13-14ML ☐ SCGR13-14ML



Mini Blade – Long Reach Gracey #15-16

Modified version of the Mini Blade – Long Reach Gracey 11-12 allows better access and a more comfortable hand and finger position for all mesial surfaces of bicuspid and molars.

Handle Selection: ☒ CESCGR15-16ML (shown) ☐ RESCGR15-16ML ☐ ESCGR15-16ML ☐ RSCGR15-16ML ☐ SCGR15-16ML



Mini Blade – Long Reach Gracey #17-18

Modified version of the Mini Blade – Long Reach Gracey 13-14 allows better access and a more comfortable hand and finger position for all distal surfaces of bicuspid and molars.

Handle Selection: ☒ CESCGR17-18ML (shown) ☐ RESCGR17-18ML ☐ ESCGR17-18ML ☐ RSCGR17-18ML ☐ SCGR17-18ML

GRACEY CURETTES

Rigid

Nordent Rigid Gracey curettes feature a rigid shank and a longer reach blade and are well-suited to periodontal and surgical application. Nordent Rigid Gracey curettes have a 1.3 mm terminal shank diameter and blades that are 0.9 mm wide and 6 mm long.



Rigid Gracey #1-2 Short contra-angle for incisors and cuspids. Terminal shank reach is 11 mm.

Handle Selection:	<input checked="" type="radio"/> CESC1R-2R (shown)	<input type="radio"/> RESC1R-2R	<input type="radio"/> ESCG1R-2R	<input type="radio"/> RSCG1R-2R	<input type="radio"/> SCG1R-2R
-------------------	--	---------------------------------	---------------------------------	---------------------------------	--------------------------------



Rigid Gracey #3-4 Short contra-angle for incisors and cuspids. Terminal shank reach is 11 mm.

Handle Selection:	<input checked="" type="radio"/> CESC3R-4R (shown)	<input type="radio"/> RESC3R-4R	<input type="radio"/> ESCG3R-4R	<input type="radio"/> RSCG3R-4R	<input type="radio"/> SCG3R-4R
-------------------	--	---------------------------------	---------------------------------	---------------------------------	--------------------------------



Rigid Gracey #5-6 Medium shank and slight contra-angle for bicuspid and molars. Terminal shank reach is 14 mm.

Handle Selection:	<input checked="" type="radio"/> CESC5R-6R (shown)	<input type="radio"/> RESC5R-6R	<input type="radio"/> ESCG5R-6R	<input type="radio"/> RSCG5R-6R	<input type="radio"/> SCG5R-6R
-------------------	--	---------------------------------	---------------------------------	---------------------------------	--------------------------------



Rigid Gracey #7-8 Medium contra-angle for facial and lingual surfaces of bicuspid and molars. Terminal shank reach is 12 mm.

Handle Selection:	<input checked="" type="radio"/> CESC7R-8R (shown)	<input type="radio"/> RESC7R-8R	<input type="radio"/> ESCG7R-8R	<input type="radio"/> RSCG7R-8R	<input type="radio"/> SCG7R-8R
-------------------	--	---------------------------------	---------------------------------	---------------------------------	--------------------------------



Rigid Gracey #9-10 Long contra-angle for molars and less accessible root surfaces. Terminal shank reach is 12 mm.

Handle Selection:	<input checked="" type="radio"/> CESC9R-10R (shown)	<input type="radio"/> RESC9R-10R	<input type="radio"/> ESCG9R-10R	<input type="radio"/> RSCG9R-10R	<input type="radio"/> SCG9R-10R
-------------------	---	----------------------------------	----------------------------------	----------------------------------	---------------------------------



Rigid Gracey #11-12 All mesial surfaces of bicuspid and molars. Terminal shank reach is 8 mm.

Handle Selection:	<input checked="" type="radio"/> CESC11R-12R (shown)	<input type="radio"/> RESC11R-12R	<input type="radio"/> ESCG11R-12R	<input type="radio"/> RSCG11R-12R	<input type="radio"/> SCG11R-12R
-------------------	--	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------



Rigid Gracey #13-14 All distal surfaces of bicuspid and molars. Terminal shank reach is 7 mm.

Handle Selection:	<input checked="" type="radio"/> CESC13R-14R (shown)	<input type="radio"/> RESC13R-14R	<input type="radio"/> ESCG13R-14R	<input type="radio"/> RSCG13R-14R	<input type="radio"/> SCG13R-14R
-------------------	--	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------