



American Eagle
INSTRUMENTS®



Trusted Heritage.
Quality Craftsmanship.





American Eagle
INSTRUMENTS®

OUR STORY

From the mountains of Missoula, MT, every American Eagle Instrument begins with a visionary design and US-made steel that is expertly shaped and hand-honed by master craftsmen. Instruments may seem complicated with their many engineered angles, sophisticated metals and ergonomic grips. But like any tool, the magic is in the performance.

Used with pride by generations of dental professionals across the globe, American Eagle Instruments bestow a simple confidence and trusted heritage of US quality craftsmanship.

CUSTOMER SATISFACTION GUARANTEE

If the customer is not completely satisfied within the first 30 days of using their new instrument, we ask they contact their dental dealer to request a credit or replacement.

LIMITED LIFETIME WARRANTY

Except as otherwise noted, American Eagle Instruments offers a lifetime warranty against defects in materials and workmanship and will, at our discretion, replace any product that fails as a result of any such defect.

Each class of instrument has a life expectancy based on its intended use. Due to various contributing factors which could expedite or prolong the effective life of an instrument, it is only reasonable to determine an average life expectancy.

If within the average life expectancy of an instrument our customer experiences corrosion, breakage, or joint failure, American Eagle Instruments will, at our discretion, replace, repair or credit the full value of that instrument to the original owner with proof of purchase.



TABLE OF CONTENTS

4 INSTRUMENT INFORMATION

12 EDUCATION

13 PERIODONTAL

26 QUIK-TIP™ CUSTOMIZATION


35 DIAGNOSTIC

39 RESTORATIVE

48 AUXILIARY PRODUCTS

HOW TO ORDER

Part



When ordering, do not include spaces in the part number.

Section A - Instrument

AE = American Eagle

Section B - Instrument Style

Periodontal/Hygiene

GA = Gracey Access

DG = Double Gracey™

GDP = Gracey Deep Pocket

II = Implant Instrument

G = Gracey

C = Curette

S = Scaler

Diagnostic

EP = Explorer/Probe Combo

EXP = Explorer

M = Mirror

MH = Mirror Handle

P = Probe

Restorative

B = Burnisher

C/P = Condenser/Plugger

CSP = Cement Spatula

EXC = Excavator

HA = Hatchet

MT = Margin Trimmer

CADC = Carver/ Discoid-Cleoid

CAIPC = Carver/Interproximal

C = Chisel

CA = Carver

C = Composite

E = Endodontic

F = File

P = Packing

W = Waxing

Section C - Instrument Classification

QT = Quik-Tip™

TT = Stainless Steel

(Stainless steel instruments require periodic sharpening)

XP = XP® Sharpen-Free Technology

(No sharpening required)

SECTION D - Handle Designation

X = 3/8" EagleLite® Resin Handle

Z = 3/8" EagleLite® Stainless Steel Handle

NOTE: No handle designation for curettes and scalers will indicate an EagleLite® resin handle is requested.

HOW TO ORDER

American Eagle Instruments' products may be purchased through any dealer partner (visit our website for a complete list) or by placing your order direct with us and receive your billing from your supplier.

Call: 800-551-5172 or 406-549-7451

Fax: 406-549-7452

Email: customerservice@am-eagle.com

Outside USA, please contact your local American Eagle Instruments dealer.




= American Eagle Instruments Top Seller

Auxiliary

PL = Pliers

INSTRUMENT TIP INFORMATION




Instrument Tip

Blade	Terminal Shank	Upper Shank



Sickle scalers have continuous straight lateral surfaces.


Straight scalers have continuous convex lateral surfaces.



CURETTE & SCALER HANDLES

Colored resin handles offer you easier recognition of your specific instrument pattern.

3/8" - 9.5mm Resin (X)



3/8" - 9.5mm Stainless Steel (Z)



XP[®] SHARPEN-FREE TECHNOLOGY



XP SHARPEN-FREE BENEFITS



Saves Time and Money: XP Sharpen-Free instruments last as long as standard instruments, but without the need to sharpen. By eliminating the need for sharpening, time can be used for more productivity.

Maintains Its Original Sharp Edge: These razor sharp edges start and stay sharp longer than any other instrument on the market.

Thinner Blade Design: Since XP Sharpen-Free Instruments are sharpen-free, they are 10% thinner. This allows for easier access of periodontal pockets and interproximal areas.

More Comfort, Less Fatigue: An instrument that is always sharp means only light pressure is needed to “plane” away calculus.

XP SHARPEN-FREE TECHNOLOGY

	Average Lifespan	Maintenance	Ergonomics	Efficacy	Strokes
Conventional Scalers	6-12 months	Sharpen every 1-2 weeks	Abrasive “pop” off calculus	Tip reshaped every sharpening	1,500 
XP Sharpen-Free Scalers	6-12 months	Never sharpen	Gentle shaving stroke	Retains original tip design	15,000 

HOW TO USE XP® SHARPEN-FREE

Holding the Instrument

Hold the instrument using a light, “exploratory scaling” touch.

Shave through calculus using a few light strokes; do not fracture off calculus.

Benefits

- A lighter touch aids in ergonomic hand protection and minimizes the risk of wrist/hand problems.
- A lighter touch increases instrument longevity.
- Less likely to burnish calculus with sharp blade.
- Enhances patient comfort.
- Decreases scaling noise for auditory comfort.
- Less lateral pressure for scaling efficacy.

Guidelines

- XP Sharpen-Free curettes and scalers are designed for scaling and root planing. Avoid using them on margins and overhangs.
- Use less force, a lighter grip and a “shaving” or “exploratory” stroke.
- Do not sharpen your XP Sharpen-Free instruments.
- With proper use and maintenance, you can expect your XP Sharpen-Free instruments to last as long as your stainless steel instruments, without the need to sharpen.



XP SHARPEN-FREE MAINTENANCE

Follow these suggestions to increase the longevity and performance of your instruments.

Care

- Practice care as these instruments have a sharper edge on a thinner blade.
- Avoid fracturing away calculus.
- Avoid use on margins, overhangs, amalgam and composites.

Sterilization

- Use autoclave sterilization and strictly follow unit manufacturer’s recommendations.
- Allow for complete drying cycle.
- Do not use dry heat on resin handles.

Storage

- Thoroughly dry before storing.

Cleaning

- Promptly place instruments in ultrasonic cleaner.
Standard recommended cleaning cycle is 20 minutes.
- Separate XP Sharpen-Free instruments from all other instruments when cleaning/sterilizing.
Combining dissimilar metals is not recommended.
- Use pH-balanced cleaners.
- Always rinse with demineralized water after ultrasonic cleaning.
- Dry instruments before sterilization.
- Avoid use of chlorine-, chloride-, NaCl- (sodium chloride) and fluoride-based solutions.
Visit our website for a list of compatible solutions.

STAINLESS STEEL MAINTENANCE

Follow these suggestions to increase the longevity and performance of your instruments.

Care

- Rinse thoroughly with warm water (we recommend using demineralized water, as tap water may contain elements that are detrimental to the instrument).
- Thoroughly dry after cleaning and prior to sterilization.

Sterilization

- Use autoclave sterilization and strictly follow unit manufacturer's recommendations.
- Sterilize hinged instruments in the open position.
- After instrument care and maintenance, thoroughly inspect instruments for any remaining debris or damage prior to use.
- Do not use dry heat on resin handles.

Cleaning

- Stubborn impurities and debris should be manually removed with a soft brush.
- Clean instruments manually, in an ultrasonic cleaning unit, or washer disinfectant (*as per unit manufacturer's instructions*).
- Place instruments into cassettes prior to cleaning (*do not overload cassettes*).



IMPLANT INSTRUMENT MAINTENANCE

Follow these suggestions to increase the longevity and performance of your instruments.

Care

- Avoid use on margins, overhangs, amalgam and composites.

Sterilization

- Use autoclave sterilization and strictly follow unit manufacturer's recommendations.
- Allow for complete drying cycle.

Storage

- Thoroughly dry before storing.



PROBE MAINTENANCE

Follow these suggestions to increase the longevity and performance of your instruments.

Cleaning

- Avoid ultrasonic cleaning which may affect the bond of the color markings to the stainless steel.
- Clean the tip with mild liquid soap prior to sterilization.
- Avoid temperatures in excess of 300°F/150°C in the sterilization process, at which point your color probe markings risk becoming discolored.

Sterilization

- Use autoclave sterilization and strictly follow unit manufacturer's recommendations.
- Allow for complete drying cycle.
- Do not use dry heat on resin handles.



INSTRUMENT TESTIMONIALS



“ I no longer stress out over my instruments being dull and not having time to sharpen. **American Eagle Instruments have taken that stress off my plate.**

I love having extra time to spend on other things...like my patients.”

Angie Stone, RDH, BS

Founder and CEO, HyLife Oral Health Alliance

Author, Amazon Best Selling Book, *Dying From Dirty Teeth*

“American Eagle Instruments, specifically XP Sharpen-Free instruments, have changed how I practice clinically and I will love them forever for that. **My ergonomics are better, my patients are happier and healthier with the lighter shaving stroke,** and my practice is able to retain patients because of how much more they enjoy their hygiene appointment!”



Andrew Johnston, RDH

Co-host - A Tale of Two Hygienists Podcast



“ I decided to give the American Eagle XP Sharpen-Free technology a try and I am so happy that I did! Although there is a learning curve when instrumenting with XP Sharpen-Free, I immediately saw my efficiency improve...

It cut my scaling time nearly in half with my periodontally involved patients and they stay sharper longer than any of the previous instruments I have used in the past.”

Jasmin Haley, RDH, MSDH, CDA

Founder of Beyond the Prophylaxis LLC

CONTINUING EDUCATION

American Eagle Instruments and Young Dental offer accredited continuing education programs through hands on learning and faculty calibration. Visit www.am-eagle.com to see a course catalog or to request a live CE course.

HANDS-ON COURSES

Looking to attend an interactive continuing education course? Our clinical education team will bring a hands-on instrumentation course to your study club, component or state meeting for a fun, collaborative learning experience. To schedule a course, contact us at education@younginnovations.com.

CLINICAL EDUCATION MANAGER



Amanda Hill
BSDH, RDH

Amanda likes to describe her career in dental hygiene as an adventure. Growing up in and then marrying into the military, she has had the opportunity to experience life and dentistry all over the world. Amanda had the good fortune to begin her dental career in an office where excellence was the norm. She had the chance to be stretched and challenged while traveling for courses and learning the latest in clinical care and patient communication, thus developing a love for learning. Through her adventures around the world, she became obsessed with finding ways to continue her education and stay current and in connection with the dental industry. Amanda practices part-time in Virginia Beach, VA, and is the clinical education manager for Young Innovations. She is a speaker, consultant and award-winning author. A member of the advisory board for RDH magazine, Dentistry IQ, and OSAP's Infection Control In Practice Editorial Review Board, Amanda strives to make topics in dentistry accurate, accessible and fun!

PERIODONTAL

14 XP® SHARPEN-FREE THIN

16 DOUBLE GRACEY™

18 STANDARD GRACEY

19 GRACEY MESIAL-DISTAL

19 GRACEY ACCESS

20 GRACEY DEEP POCKET

20 CURETTES

22 SCALERS

24 KITS

25 IMPLANT INSTRUMENTS

25 FILES

XP® SHARPEN-FREE THIN

We took the ideal instruments for periodontal maintenance, and made the blades thinner and the handles lighter. This provides you greater tactile sensitivity and increases access into periodontal pockets. Such a thin working end is only possible with XP Sharpen-Free Technology.



M23 XP SHARPEN-FREE THIN SCALER | AESM23TPX



The M23 XP Sharpen-Free Thin allows for superior supra and interproximal adaptation, and accessibility on all teeth. It also adapts to mesial and distal line angles of all teeth. Its versatility has the potential to replace all posterior and anterior sickle scalers, streamlining preventive and periodontal treatment setups.



BLACKJACK XP SHARPEN-FREE THIN SCALER | AESBJTPX



Our very popular supragingival access instrument is now thinner, reaching all areas of supragingival calculus like never before. The Blackjack XP Sharpen-Free Thin has the potential to replace all posterior and anterior sickle scalers, including the H6-7, streamlining preventive and periodontal treatment set ups.



BARNHART 5-6 XP SHARPEN-FREE THIN CURETTE | AECB5-6TPX



The Barnhart XP Sharpen-Free Thin design kicks universal convenience up a notch, making adaptation easier in a wide range of shallow pockets. Curettes are typically too bulky to easily access anterior pockets without tissue damage, particularly at the line angles. The Barnhart XP Sharpen-Free Thin easily adapts in this area, accessing calculus beyond a curette's reach with bulkier designs.



GRACEY ACCESS 1-2 XP SHARPEN-FREE THIN | AEGA1-2TXPX

The Gracey Access 1-2 XP Sharpen-Free Thin curette is useful in pockets greater than 4mm in all anterior areas, as well as buccal and lingual molar furcations.



GRACEY ACCESS 7-8 XP SHARPEN-FREE THIN | AEGA7-8TXPX

The Gracey Access 7-8 XP Sharpen-Free Thin curette is used in pockets greater than 4mm in pre-molar areas, as well as buccal and lingual molar furcations.



GRACEY ACCESS 13-14 XP SHARPEN-FREE THIN | AEGA13-14TXPX



The Gracey Access 13-14 XP Sharpen-Free Thin curette is designed for use in distal surfaces and pockets greater than 4mm in premolar and molar areas. An extended shank improves access to all distal surfaces and pockets of the terminal molars.



GRACEY ACCESS 15-16 XP SHARPEN-FREE THIN | AEGA15-16TXPX


The Gracey Access 15-16 XP Sharpen-Free Thin is a wonderful improvement on the 11-12. The 15-16 shank design improves angulation for better access in all posterior mesial, buccal and lingual areas while easing hand position and reducing operator fatigue. Accessing posterior concavities and furcations is easy and efficient with the 15-16 shank design.

DOUBLE GRACEY™

Truly a universal instrument, Double Gracey instruments have rounded toes and two (2) cutting edges, combining the best features of Gracey and Universal curettes. Advantages of using Double Graceys include easy adaptation to mesial, distal, buccal and lingual surfaces without switching or repositioning the instrument. The mini versions allow easier access into deeper pockets, tighter interproximal areas and furcations. All Double Gracey instruments are sharpen-free with American Eagle Instruments' patented XP® Sharpen-Free Technology.



The face of a Double Gracey is raised, thus creating two slightly sloped faces, approximately 110 degrees, measured from the terminal (lower) shank. The face and blade angles allow the practitioner to use Double Gracey instruments exactly how they would use traditional Gracey curettes — with the terminal shank parallel to the tooth axis.



*All Double Gracey curettes replace Universal curettes.

DOUBLE GRACEY ANTERIOR & MINI ANTERIOR

- Enables clinician to scale from light to heavy calculus.
- Maneuver between buccal and lingual surfaces without switching position.
- XP Sharpen-Free Technology creates less sensitivity on cementum.

DOUBLE GRACEY POSTERIOR & MINI POSTERIOR

- Allows clinician to keep lower shank parallel to tooth surface.
- Maneuver between mesial and distal surfaces without switching position.



Standard
blade size



Mini
blade size

DOUBLE GRACEY™ INSTRUMENTS

AVAILABLE
EXCLUSIVELY
IN XP
SHARPEN-
FREE



XP SHARPEN-FREE DOUBLE GRACEY ANTERIOR | AEDGAXPX *Replaces Gracey curettes 1-2, 3-4, 5-6, 7-8, and 9-10 along with Universal curettes.*



XP SHARPEN-FREE DOUBLE GRACEY POSTERIOR | AEDGPXPX *Replaces mesial/distal Gracey curettes 11-12, 13-14, and 15-16 along with Universal curettes.*



XP SHARPEN-FREE MINI DOUBLE GRACEY ANTERIOR | AEDGMAXPX *Replaces Access and mini Gracey curettes 1-2, 3-4, 5-6, 7-8, and 9-10 & Universal curettes.*




XP SHARPEN-FREE MINI DOUBLE GRACEY POSTERIOR | AEDGMPXPX *Replaces Access and mini Gracey curettes 11-12, 13-14, and 15-16 & Universal curettes.*

DOUBLE GRACEY KITS

XP SHARPEN-FREE DOUBLE GRACEY KIT | AEDGKXPX

-  DOUBLE GRACEY ANTERIOR
-  DOUBLE GRACEY POSTERIOR

XP SHARPEN-FREE DOUBLE GRACEY MINI KIT | AEDGMKXPX

-  DOUBLE GRACEY MINI ANTERIOR
-  DOUBLE GRACEY MINI POSTERIOR

XP SHARPEN-FREE DOUBLE GRACEY 4 KIT* | AEDGK4XPX

-  DOUBLE GRACEY ANTERIOR
-  DOUBLE GRACEY MINI ANTERIOR
-  DOUBLE GRACEY POSTERIOR
-  DOUBLE GRACEY MINI POSTERIOR

* Includes stainless steel cassette

GRACEY HANDLE



3/8" - 9.5MM EAGLELITE® **COLOR RESIN DOUBLE END (X)**



3/8" - 9.5MM EAGLELITE **STAINLESS STEEL (Z)**

STANDARD GRACEY

R= RIGID
POINT IN
STANDARD
GRACEY



GRACEY 1-2

AEG1-2X AEG1-2Z

AEG1-2RZ



GRACEY 1-2 XP

AEG1-2XPX

AEG1-2XPZ

XP



GRACEY 3-4

AEG3-4X AEG3-4Z

AEG3-4RZ



GRACEY 3-4 XP

AEG3-4XPX

AEG3-4XPZ

XP



GRACEY 5-6

AEG5-6X AEG5-6Z

AEG5-6RZ



GRACEY 5-6 XP

AEG5-6XPX

AEG5-6XPZ

XP



GRACEY 7-8

AEG7-8X AEG7-8Z

AEG7-8RZ



GRACEY 7-8 XP

AEG7-8XPX

AEG7-8XPZ

XP



GRACEY 9-10

AEG9-10X AEG9-10Z

AEG9-10RZ



GRACEY 9-10 XP

AEG9-10XPX

AEG9-10XPZ

XP



GRACEY 11-12

AEG11-12X AEG11-12Z

AEG11-12RZ



GRACEY 11-12

AEG11-12XPX

AEG11-12XPZ

XP



GRACEY 13-14

AEG13-14X AEG13-14Z

AEG13-14RZ



GRACEY 13-14 XP

AEG13-14XPX

AEG13-14XPZ

XP



GRACEY 15-16

AEG15-16X AEG15-16Z

AEG15-16RZ



GRACEY 15-16 XP

AEG15-16XPX

AEG15-16XPZ

XP



GRACEY 17-18

AEG17-18X AEG17-18Z

AEG17-18RZ



GRACEY 17-18 XP

AEG17-18XPX

AEG17-18XPZ

XP

STANDARD GRACEY



Gracey curettes are designed to adapt to specific anatomical areas of the teeth for sub-gingival scaling and root planing. The blade angle allows easier insertion into the sulcus while minimizing soft tissue trauma.

GRACEY MESIAL-DISTAL



GRACEY 11-14MD

AEG11-14X



GRACEY 11-14 XP

AEG11-14XPX

AEG11-14XPZ

XP



GRACEY 12-13MD

AEG12-13X



GRACEY 12-13 XP

AEG12-13XPX

AEG12-13XPZ

XP

GRACEY ACCESS *(50% Shorter Blade and Extended Shank)*



GRACEY ACCESS 00-0

AEGA00-0X

AEGA00-0Z



GRACEY ACCESS 00-0 XP

AEGA00-0XPX

AEGA00-0XPZ

XP



GRACEY ACCESS 1-2

AEGA1-2X



GRACEY ACCESS 1-2 XP

AEGA1-2XPX

AEGA1-2XPZ

XP

THIN

AEGA1-2TXPX



GRACEY ACCESS 3-4

AEGA3-4X



GRACEY ACCESS 3-4 XP

AEGA3-4XPX

AEGA3-4XPZ

XP



GRACEY ACCESS 5-6

AEGA5-6X

AEGA5-6Z



GRACEY ACCESS 5-6 XP

AEGA5-6XPX

AEGA5-6XPZ

XP



GRACEY ACCESS 7-8

AEGA7-8X

AEGA7-8Z



GRACEY ACCESS 7-8 XP

AEGA7-8XPX

AEGA7-8TXPX

XP

THIN



GRACEY ACCESS 11-12

AEGA11-12X

AEGA11-12Z



GRACEY ACCESS 11-12 XP

AEGA11-12XPX

AEGA11-12XPZ

XP



GRACEY ACCESS 13-14

AEGA13-14X

AEGA13-14Z



GRACEY ACCESS 13-14 XP

AEGA13-14XPX

AEGA13-14XPZ

XP

THIN

AEGA13-14TXPX



GRACEY ACCESS 15-16

AEGA15-16X

AEGA15-16Z



GRACEY ACCESS 15-16 XP

AEGA15-16XPX

AEGA15-16TXPX

XP

THIN

GRACEY ACCESS



With the blade half as long and the terminal shank 3mm longer than that of a standard Gracey, the whole blade is easily placed at root surfaces. Narrow pockets and root furcations are also accessible.

GRACEY DEEP POCKET



GRACEY DP 1-2

AEGDP1-2X

AEGDP1-2Z



GRACEY DP 1-2 XP

AEGDP1-2XPX

AEGDP1-2XPZ

XP

AVAILABLE
EXCLUSIVELY
IN XP
SHARPEN-
FREE



GRACEY DP 3-4 XP

AEGDP3-4XPX

XP



GRACEY 5-6

AEGDP5-6X



GRACEY 5-6 XP

AEGDP5-6XPX

AEGDP5-6XPZ

XP



GRACEY DP 7-8

AEGDP7-8X

AEGDP7-8Z



GRACEY DP 7-8 XP

AEGDP7-8XPX

XP



GRACEY DP 11-12

AEGDP11-12X

AEGDP11-12Z



GRACEY DP 11-12

AEGDP11-12XPX

AEGDP11-12XPZ

XP



GRACEY DP 15-16

AEGDP15-16X

AEGDP15-16Z



GRACEY DP 15-16 XP

AEGDP15-16XPX

XP



GRACEY DP 13-14

AEGDP13-14X

AEGDP13-14Z



GRACEY DP 13-14 XP

AEGDP13-14XPX

AEGDP13-14XPZ

XP

GRACEY DEEP POCKET



With the terminal shank 3mm longer than that of the standard Gracey curette, this instrument can perform scaling and root planing of pockets 5mm or deeper.

CURETTES



BARNHART 1-2

AECB1-2X



BARNHART 1-2 XP

AECB1-2XPX

XP



BARNHART 5-6

AECB5-6X

AECB5-6Z



BARNHART 5-6 XP

AECB5-6XPX

AECB5-6XPZ


AECB5-6XPZ

XP

THIN



CURETTES *(continued)*



COLUMBIA 13-14



COLUMBIA 13-14 XP



XP



COLUMBIA 2L-2R




COLUMBIA 2L-2R XP




XP



COLUMBIA 4L-4R




COLUMBIA 4L-4R XP




XP



LANGER 1-2




LANGER 1-2 XP




XP



LANGER 3-4



LANGER 3-4



XP



LANGER 5-6




LANGER 5-6 XP



XP



MCCALL 13-14S*



*scaler-like tip



MCCALL 13-14S* XP




*scaler-like tip


XP



MCCALL 13-14



MCCALL 13-14 XP




XP



MCCALL 17-18S




MCCALL 17-18S XP




XP



MCCALL 17-18




MCCALL 17-18 XP




XP



RULES 3-4




RULES 3-4 XP



XP



YOUNGER-GOOD 7-8



YOUNGER-GOOD 7-8 XP



XP

SCALERS



SCALER 107-108

 SCALER 107-108X

 SCALER 107-108Z



SCALER 2YS-3YS

 AES2YS-3YSX

 AES2YS-3YSZ



SCALER 204S

 AES204SX

 AES204SZ



SCALER 204S XP

 AES204SXPX

 AES204SXPZ



XP



SCALER 204SD

 AES204SDX

 AES204SDZ



SCALER 204SD XP

 AES204SDXPX

 AES204SDXPZ




XP



SCALER 311-312

 AES311-312X

 AES311-312Z



SCALER 311-312 XP

 AES311-312XPX

 AES311-312XPZ

XP



SCALER BATES 7-8

 AESB7-8X

 AESB7-8Z



SCALER BOGE 513*

 AESB513XPX

 AESB513XPZ



XP

*A end is a hoe, B end is a NI28



SCALER BLACKJACK*

 AESBJX

 AESBJZ



SCALER BLACKJACK XP*

 AESBJXPX

 AESBJXPZ

 AESBJTXPX



XP

THIN


*4mm extended shank

*4mm extended shank




SCALER EAGLE CLAW

 AESECX

 AESECZ



SCALER EAGLE CLAW XP

 AESECPX

 AESECPZ




XP




SCALER EAGLE TALON


 AESETX

 AESETZ



SCALER EAGLE TALON XP

 AESETXPX

 AESETXPZ



XP



SCALER H5-33

 AESH5-33XPX

 AESH5-33XPZ



SCALER H5-33 XP

 AESH5-33XPXPX

 AESH5-33XPXPZ

XP



SCALER H6-7

 AESH6-7X

 AESH6-7Z




SCALER H6-7 XP

 AESH6-7XPX

 AESH6-7XPZ



XP




SCALER J14-15

 AESJ14-15X


 AESJ14-15Z


AVAILABLE
EXCLUSIVELY
IN STAINLESS
STEEL



SCALER J3-U15

 AESJ3-U15X

 AESJ3-U15Z



SCALER J3-U15 XP

 AESJ3-U15XPX

XP

SCALERS *(continued)*



SCALER J3-U5

AESJ3-U5X



SCALER J3-U5 XP

AESJ3-U5XPX

AESJ3-U5XPZ

XP



SCALER J3-4

AESJ3-4X

AESJ3-4Z



SCALER J30-33

AESJ30-33Z



SCALER J31-32

AESJ31-32Z

AVAILABLE
EXCLUSIVELY
IN STAINLESS
STEEL



SCALER J4-U5

AESJ4-U5X



SCALER J4-U5 XP

AESJ4-U5XPX

AESJ4-U5XPZ

XP



SCALER MORSE 0-00

AESM0-00X

AESM0-00Z



SCALER N135

AESN135X



SCALER M23

AESM23X

AESM23Z



SCALER M23XP

AESM23XPX

AESM23XPZ

XP

THIN

AESM23TXPX

AESM23TXPZ



SCALER NEB 128 DOUBLE-END

AESN128DEX

AESN128DEZ



SCALER NEB 128 DOUBLE-END XP

AESN128DEXPX

AESN128DEXPZ

XP



SCALER N1

AESN1X

AESN1Z



SCALER N1 XP

AESN1XPX

AESN1XPZ

XP



SCALER N2

AESN2X

AESN2Z



SCALER N2 XP

AESN2XPX

AESN2XPZ

XP



SCALER N137

AESN137X



SCALER N137 XP

AESN137XPX

AESN137XPZ

XP



SCALER NEB 128 SINGLE-END

AESN128X



SCALER NEB 128 SINGLE-END XP

AESN128XPX

AESN128XPZ

XP



SCALER U15 SINGLE-END

AESU15X

AVAILABLE
EXCLUSIVELY
IN STAINLESS
STEEL

SCALERS *(continued)*



SCALER U15-30

AESU15-30X



SCALER U15-30 XP

AESU15-30XPX

XP



SCALER U15-33

AESU15-33X

AESU15-33Z

AVAILABLE
EXCLUSIVELY
IN STAINLESS
STEEL

KITS



Available only in resin handles.

KIT 1 - EAGLE CLAW™ & EAGLE TALON™ | AEGEKXPX

The universal scaler set— a combination of the Talon for anterior and the Claw for posterior.

Eagle Talon is a combination of two already popular anterior tips: the Jacquette 3 and the Nebraska 128.

Eagle Claw is the ideal universal posterior scaler with a classic design for tight interproximal areas.

XP® Sharpen-Free instruments keep their shape throughout the useful life of the instrument.



Available only in resin handles.

KIT 2 - GRACEY 11-12 & GRACEY 13-14 | AEGEK2XPX

The classic molar-mesial and molar-distal Graceys.

XP means no sharpening – these are the first Graceys that retain their original shape.

Slim design – ideal for heavy calculus and for tight interproximal areas of recall patients.



Available only in resin handles.

KIT 6 M23 & BLACKJACK | AEGEK6XPX

Blackjack - The ultimate anterior scaler.

M23 - Replaces sickles and mini-sickles for posterior.

Ideal for safe removal of deposits.

XP Sharpen-Free Technology means the instruments retain their original shape.

Extra-light handle design that helps reduce repetitive motion injuries.

IMPLANT INSTRUMENTS



IMPLANT INSTRUMENT 204S

AEII204SX



IMPLANT INSTRUMENT B5-6

AEIIB5-6X



IMPLANT INSTRUMENT L3-4

AEIIL3-4Z



IMPLANT INSTRUMENT N128-L5

AEIIN128-L5X

IMPLANT INSTRUMENT KITS



IMPLANT KIT WITH PLASTIC CASSETTE | AEIIKP

Both implant instrument kits include all four implant instruments seen above.



IMPLANT KIT WITH SL5 CASSETTE | AEIIKZ

Both implant instrument kits include all four implant instruments seen above.

FILES



HIRSCHFELD 3-7 FILE

AEFH3-7



HIRSCHFELD 5-11 FILE

AEFH5-11



1/4" - 6.3MM STAINLESS STEEL

Both files compatible with 1/4 Stainless Steel handle.

QUIK-TIP™ CUSTOMIZATION

27 QUIK-TIP™ HANDLES AND WRENCH

28 DOUBLE GRACEY

28 STANDARD GRACEY

30 GRACEY ACCESS

31 GRACEY DEEP POCKET

32 CURETTES


33 SCALERS

QUIK-TIP™ CUSTOMIZATION

Designed with the hygienist in mind, Quik-Tips offer the ability to discard a single end when it becomes dull without having to replace your entire instrument, **giving your practice significant cost savings.**

Quik-Tip cone socket benefits:

- Completely customizable
- Significant cost savings
- Safe alternative to re-tipping
- Eight handle colors to choose from
- Re-tip in seconds
- Reduce waste



QUIK-TIP HANDLES



DOUBLE-ENDED HANDLE, BLUE | AEQTHB



DOUBLE-ENDED HANDLE, GREEN | AEQTHG



DOUBLE-ENDED HANDLE, ORANGE | AEQTHO



DOUBLE-ENDED HANDLE, PURPLE | AEQTHP



DOUBLE-ENDED HANDLE, RED | AEQTHR



DOUBLE-ENDED HANDLE, BLACK | AEQTHX



DOUBLE-ENDED HANDLE, YELLOW | AEQTHY



DOUBLE-ENDED HANDLE, STAINLESS STEEL | AEQTHZ



QUIK-TIP WRENCH | AEQTW

Remember to order a Quik-Tip wrench with your Quik-Tip order!

DOUBLE GRACEY™ - QUIK-TIP™

The Double Gracey line of instruments started with the Scandette (now the Double Gracey Posterior) and later transformed into a complete line of dual-bladed curettes. For more information on Double Gracey curettes, go to pages 16 and 17.

AVAILABLE
EXCLUSIVELY
IN XP
SHARPEN-
FREE



DOUBLE GRACEY ANTERIOR (A)

AEDGAAXPQT



DOUBLE GRACEY ANTERIOR (B)

AEDGABXPQT



DOUBLE GRACEY POSTERIOR (A)

AEDGPAXPQT



DOUBLE GRACEY POSTERIOR (B)

AEDGPBXPQT



MINI DOUBLE GRACEY ANTERIOR (A)

AEDGMAAXPQT



MINI DOUBLE GRACEY ANTERIOR (B)

AEDGMABXPQT



MINI DOUBLE GRACEY POSTERIOR (A)

AEDGMPAXPQT



MINI DOUBLE GRACEY POSTERIOR (B)

AEDGMPBXPQT

STANDARD GRACEY - QUIK-TIP™



GRACEY 1 XP

AEG1XPQT



GRACEY 2 XP

AEG2XPQT



GRACEY 3 XP

AEG3XPQT



GRACEY 4 XP

AEG4XPQT



GRACEY 5 XP

AEG5XPQT



GRACEY 6 XP

AEG6XPQT



GRACEY 7 XP

AEG7XPQT



GRACEY 8 XP

AEG8XPQT

STANDARD GRACEY - QUIK-TIP™ *(continued)*



GRACEY 9 XP

AEG9XPQT

XP



GRACEY 10 XP

AEG10XPQT

XP



GRACEY 11 XP

AEG11XPQT



XP



GRACEY 12 XP

AEG12XPQT



XP



GRACEY 13 XP

AEG13XPQT



XP



GRACEY 14 XP

AEG14XPQT



XP



GRACEY 15 XP

AEG15XPQT

XP



GRACEY 16 XP

AEG16XPQT

XP



GRACEY 17 XP

AEG17XPQT

XP



GRACEY 18 XP

AEG18XPQT

XP



GRACEY 1

AEG1TTQT



GRACEY 2

AEG2TTQT



GRACEY 5

AEG5TTQT



GRACEY 6

AEG6TTQT



GRACEY 7

AEG7TTQT



GRACEY 8

AEG8TTQT



GRACEY 11

AEG11TTQT



GRACEY 12

AEG12TTQT



GRACEY 13

AEG13TTQT



GRACEY 14

AEG14TTQT

GRACEY ACCESS - QUIK-TIP™ *(50% Shorter Blade and Extended Shank)*



GRACEY ACCESS 0 XP



AEGA00XPQT

XP



GRACEY ACCESS 00 XP



AEGA0XPQT

XP



GRACEY ACCESS 1 XP



AEGA1XPQT

XP

THIN



AEGA1TXPQT



GRACEY ACCESS 2 XP



AEGA2XPQT

XP

THIN



AEGA2TXPQT



GRACEY ACCESS 3 XP



AEGA3XPQT

XP



GRACEY ACCESS 4 XP



AEGA4XPQT

XP



GRACEY ACCESS 5 XP



AEGA5XPQT

XP



GRACEY ACCESS 6 XP



AEGA6XPQT

XP



GRACEY ACCESS 7 XP



AEGA7XPQT

XP

THIN



AEGA7TXPQT



GRACEY ACCESS 8 XP



AEGA8XPQT

XP

THIN



AEGA8TXPQT



GRACEY ACCESS 11 XP



AEGA11XPQT

XP



GRACEY ACCESS 12 XP



AEGA12XPQT

XP



GRACEY ACCESS 13 XP



AEGA13XPQT

XP

THIN



AEGA13TXPQT



GRACEY ACCESS 14 XP



AEGA14XPQT

XP

THIN



AEGA14TXPQT



GRACEY ACCESS 15 XP



AEGA15XPQT

XP

THIN



AEGA15TXPQT



GRACEY ACCESS 16 XP



AEGA16XPQT

XP

THIN



AEGA16TXPQT

GRACEY DEEP POCKET - QUIK-TIP™



GRACEY DEEP POCKET 1 XP

 AEGDP1XPQT

XP



GRACEY DEEP POCKET 2 XP

 AEGDP2XPQT

XP



GRACEY DEEP POCKET 4 XP

 AEGDP4XPQT

XP



GRACEY DEEP POCKET 5 XP

 AEGDP5XPQT

XP



GRACEY DEEP POCKET 7 XP

 AEGDP7XPQT

XP



GRACEY DEEP POCKET 8 XP

 AEGDP8XPQT

XP



GRACEY DEEP POCKET 11 XP

 AEGDP11XPQT

XP



GRACEY DEEP POCKET 12 XP

 AEGDP12XPQT

XP



GRACEY DEEP POCKET 13 XP

 AEGDP13XPQT

XP



GRACEY DEEP POCKET 14 XP

 AEGDP14XPQT

XP



GRACEY DEEP POCKET 15 XP

 AEGDP15XPQT

XP





































































GRACEY DEEP POCKET 16 XP

 AEGDP16XPQT

XP

CURETTES - QUIK-TIP™

 <p>BARNHART 5</p> <p> AECB5TTQT</p>	 <p>BARNHART 5 XP</p> <p> AECB5XPQT </p> <p> AECB5TXPQT</p>	 <p>BARNHART 6</p> <p> AECB6TTQT</p>	 <p>BARNHART 6 XP</p> <p> AECB6XPQT </p> <p> AECB6TXPQT</p>
 <p>COLUMBIA 13</p> <p> AECC13TTQT</p>	 <p>COLUMBIA 13 XP</p> <p> AECC13XPQT </p>	 <p>COLUMBIA 14</p> <p> AECC14TTQT</p>	 <p>COLUMBIA 14 XP</p> <p> AECC14XPQT </p>
 <p>COLUMBIA 4L</p> <p> AECC4LTTQT</p>	 <p>COLUMBIA 4L XP</p> <p> AECC4LXPQT </p>	 <p>COLUMBIA 4R</p> <p> AECC4RTTQT</p>	 <p>COLUMBIA 4R XP</p> <p> AECC4RXPQT </p>
 <p>LANGER 1 XP</p> <p> AECL1XPQT </p>	 <p>LANGER 2 XP</p> <p> AECL2XPQT </p>	 <p>LANGER 3 XP</p> <p> AECL3XPQT </p>	 <p>LANGER 4 XP</p> <p> AECL4XPQT </p>
 <p>LANGER 5 XP</p> <p> AECL5XPQT </p>	 <p>LANGER 6 XP</p> <p> AECL6XPQT </p>	 <p>CURETTE 411 XP</p> <p> AEC411XPQT </p>	 <p>CURETTE 412 XP</p> <p> AEC412XPQT </p>
 <p>YOUNGER-GOOD 7</p> <p> AECY7TTQT</p>	 <p>YOUNGER-GOOD 7 XP</p> <p> AECY7XPQT </p>	 <p>YOUNGER-GOOD 8</p> <p> AECY8TTQT</p>	 <p>YOUNGER-GOOD 8 XP</p> <p> AECY8XPQT </p>

CURETTES - QUIK-TIP™ *(continued)*



RULES 3

AECR3TTQT



RULES 3 XP

AECR3XPQT

XP



RULES 4

AECR4TTQT



RULES 4 XP

AECR4XPQT

XP

SCALERS - QUIK-TIP



204S A

AES204SATTQT



204S A XP

AES204SAXPQT

XP



204S B

AES204SBTTQT



204S B XP

AES204SBXPQT

XP



204SD A

AES204SDATTQT



204SD A XP

AES204SDAXPQT

XP



204SD B

AES204SDBTTQT



204SD B XP

AES204SDBXPQT

XP



311

AES311TTQT



311 XP

AES311XPQT

XP



312

AES312TTQT



312 XP

AES312XPQT

XP



33

AES33TTQT



33 XP

AES33XPQT

XP



BOGE 513 A XP

AESB513AXPQT



BOGE 513 B XP

AESB513BXPQT

XP



BLACKJACK A

AESBJATTQT



BLACKJACK A XP

AESBJAXPQT

AESBJTAXPQT

XP

THIN



BLACKJACK B

AESBJBTTQT



BLACKJACK B XP

AESBJBXPQT

AESBJTBXPQT

XP

THIN

SCALERS - QUIK-TIP™ *(continued)*



EAGLE CLAW A

AESCATTTQT



EAGLE CLAW A XP

AESCAXPQT



XP



EAGLE CLAW B

AESCBTTQT



EAGLE CLAW B XP

AESCBXPQT



XP



EAGLE TALON A

AESATTTQT



EAGLE TALON A XP

AESATXPQT



XP



EAGLE TALON B

AESBTTTQT



EAGLE TALON B XP

AESBTXPQT



XP



H5

AESH5TTQT



H5 XP

AESH5XPQT

XP



H6

AESH6TTQT



H6 XP

AESH6XPQT



XP



H7

AESH7TTQT



H7 XP

AESH7XPQT



XP



M23 A

AESM23ATTQT



M23 A XP

AESM23AXPQT

AESM23TAXPQT

XP

THIN



M23 B

AESM23BTTQT



M23 B XP

AESM23BXPQT

AESM23TBXPQT

XP

THIN



N1 A XP

AESN1AXPQT

XP



N1 B XP

AESN1BXPQT

XP



N128

AESN128TTQT



N128 XP

AESN128XPQT

XP

DIAGNOSTIC

36 MIRRORS AND HANDLES

37 EXPLORERS

37 PROBES

38 EXPLORERS/PROBES

MIRRORS & HANDLES



MIRROR #4

AEM4

MIRROR #4 12 PACK

AEM4/12



MIRROR #5

AEM5

MIRROR #5 12 PACK

AEM5/12

1/4" - 6.3 MM ROUND | AEMHR *(shown)*1/4" - 6.3 MM TAPERED | AEMHT *(shown)*

3/8" - 9.5 MM ROUND | AEMHRZ

3/8" - 9.5 MM BLACK ROUND | AEMHRX *(shown)*

3/8" - 9.5 MM BLACK SIMPLE STEM ROUND | AEMHRSSX

3/8" - 9.5 MM BLACK TAPERED | AEMHTX *(shown)*

3/8" - 9.5 MM BLACK SIMPLE STEM TAPERED | AEMHTSSX

EXPLORERS



EXPLORER DE 11-12



EXPLORER 11-12 DEEP POCKET




EXPLORER PIGTAIL 2




EXPLORER SHEPHERD'S HOOK 23




EXPLORER 23-6



EXPLORER 3



EXPLORER 3 COW HORN



EXPLORER 3ES



EXPLORER 5



EXPLORER 6 SE



IMAGE NOT AVAILABLE

EXPLORER 9



AVAILABLE INTERNATIONALLY ONLY

PROBES




PROBE MICHIGAN 0




PROBE MICHIGAN 0 WITH WILLIAMS MARKINGS





PROBE WILLIAMS 1-GOLDMAN FOX 2



PROBE 12



PROBE 12



PROBE 12



PROBE WILLIAMS 1



PROBE WILLIAMS 1



PROBE 2-12




PROBE 2-12




PROBES *(continued)*




PROBE NABERS 2



PROBE SOUTH DAKOTA 12



PROBE UNC 15 RUNG



PROBE BALL-TIP SCREENING




EXPLORERS / PROBES




**EXPLORER 23/
PROBE MICHIGAN 0**




**EXPLORER 23/
PROBE 12**




**EXPLORER 23/
PROBE 12**



**EXPLORER 23/
PROBE 12**




**EXPLORER 23/
PROBE WILLIAMS 1**




**EXPLORER 23/
PROBE WILLIAMS 1**



**EXPLORER 23/
SOUTH DAKOTA 12**



**EXPLORER 23/
PROBE BALL-TIP SCREENING**



RESTORATIVE

40 BURNISHERS

40 CARVERS

41 DISCOID-CLEOIDS

41 CONDENSERS / PLUGGERS

42 SUPER PLUGGERS

42 CHISELS

42 SPATULA

42 EXCAVATORS

43 HATCHETS

43 MARGIN TRIMMERS

44 PACKING INSTRUMENTS

44 COMPOSITE

45 DR. MOPPER COMPOSITE SERIES

45 DR. COLONNA COMPOSITE SERIES

46 DR. BELVEDERE COMPOSITE CONTACT SERIES

46 ENDO INSTRUMENTS

47 SPREADER INSTRUMENTS

47 WAXING INSTRUMENTS

BURNISHERS



BURNISHER PLACEMENT INSTRUMENT- SHOWN WITH STANDARD 1/4" - 6.3 MM STAINLESS STEEL DOUBLE END HANDLE

AEPPA



**BURNISHER 2-29
BEAVERTAIL-FOOTBALL**

AEB2-29BEF



**BURNISHER 2-30
BEAVERTAIL-FOOTBALL**

AEB2-30BEF



BURNISHER 21B ACORN

AEB21BA



BURNISHER 26-27 BALL

AEB26-27B



**BURNISHER 26-28
BALL-FOOTBALL**

AEB26-28BF



**BURNISHER 26-29
BALL-FOOTBALL**

AEB26-29BF



BURNISHER NYU B1

AEBNYUB-1



BURNISHER PFI 18 BALL

AEBPFI18B



BURNISHER PFI 21 ACORN

AEBPFI21A



BURNISHER PITTS PEDO 18

AEBPP18



**LINING CEMENT/CALCIUM HYDROXIDE
PLACEMENT INSTRUMENT**

AEPBP-2

CARVERS



BURNISHER PLACEMENT INSTRUMENT- SHOWN WITH STANDARD 1/4" - 6.3 MM STAINLESS STEEL DOUBLE END HANDLE

AECA4-5



CARVER PFI 13

AECA13



CARVER PFI 6

AECA6



CARVER PFI 8A

AECA8A



CARVER PFI D3

AECAD3



CARVER PFI ASH 6


AECAA-6



CARVER PFI S6

AECA56

CARVERS *(continued)*



DISCOID-CLEOIDS



DISCOID-CLEOID 1-2 - SHOWN WITH STANDARD 1/4" - 6.3 MM STAINLESS STEEL DOUBLE END HANDLE

AECADC1-2



CONDENSERS / PLUGGERS



CONDENSER / PLUGGER 0 - SHOWN WITH STANDARD 1/4" - 6.3 MM STAINLESS STEEL DOUBLE END HANDLE



AEC/PO

CONDENSERS / PLUGGERS *(continued)*



**CONDENSER/
PLUGGER 1-2**

AEC/P1-2



**CONDENSER/
PLUGGER 3-4**

AEC/P3-4



**CONDENSER/
PLUGGER HOLLENBACK 1**

AEC/PH1



**CONDENSER/
PLUGGER OREGON 1**

AEC/POR1



**CONDENSER/
PLUGGER OREGON 2**

AEC/POR2



**CONDENSER/
PLUGGER OREGON 3**

AEC/POR3

SUPER PLUGGERS



**SUPER PLUGGER
SMALL/MEDIUM**

AEC/PSPSM



**SUPER PLUGGER
MEDIUM/LARGE**

AEC/PSPML

CHISELS



**CHISEL
WEDELSTEADT 5-6**

AEC5-6W



**CHISEL
BINANGLE 11-12**

AEC11-12B

SPATULA



CEMENT SPATULA 8

AECSP8

EXCAVATORS



EXCAVATOR 17

AEEXC17



EXCAVATOR 18

AEEXC18



EXCAVATOR 38-39

AEEXC38-39

EXCAVATORS *(continued)*



EXCAVATOR 40-41

AEEXC40-41



EXCAVATOR 42-43

AEEXC42-43



EXCAVATOR 64-65

AEEXC64-65



EXCAVATOR 66-67

AEEXC66-67



EXCAVATOR 70-71

AEEXC70-71



EXCAVATOR 74-75

AEEXC74-75



EXCAVATOR 78-79

AEEXC78-79



EXCAVATOR E-1

AEEXCE-1



EXCAVATOR E-2

AEEXCE-2



EXCAVATOR E-3

AEEXCE-3

HATCHETS



HATCHET 8-9

AEHA8-9



HATCHET 10-11

AEHA10-11

MARGIN TRIMMERS



MARGIN TRIMMER 26

AEMT26



MARGIN TRIMMER 27

AEMT27



MARGIN TRIMMER 28

AEMT28




MARGIN TRIMMER 29


AEMT29

DR. BLACK'S INSTRUMENT NUMBERING FORMULA

Dr. Black's formula is based on the concept of instrument balance. Balance is established by keeping the blade of the instrument within 2mm of the long axis of the handle line. Proper balance is necessary to achieve optimal cutting with minimal effort.



Some instruments, such as margin trimmers, are constructed with a cutting edge at an angle other than a right angle. In these cases, a fourth number is placed in the formula that indicates the degree of angle of the cutting edge to the long axis of the handle.



PACKING INSTRUMENTS



PACKING INSTRUMENT
CSI-1 SERRATED

AEPCSI-1



PACKING INSTRUMENT
GUYER 7 SERRATED

AEPG7



PACKING INSTRUMENT
ROUND SERRATED

AEPRNDS

COMPOSITE



1/4" - 6.3 MM **STANDARD STAINLESS STEEL**



3/8" - 9.5MM EAGLELITE **STAINLESS STEEL (Z)**



COMPOSITE 1

AEC1TNZ



COMPOSITE 2

AEC2TNZ



COMPOSITE 3

AEC3TNZ



COMPOSITE 4

AEC4TN

AEC4TNZ



1.0 mm

COMPOSITE 5

AEC5TN

AEC5TNZ



COMPOSITE 6-21 ACORN

AEC6-21ATN

AEC6-21ATNZ



1.0 mm

COMPOSITE 6

AEC6TN

AEC6TNZ



2.0 mm

COMPOSITE 7

AEC7TN

AEC7TNZ



COMPOSITE 9

AEC9TN

AEC9TNZ



CARVER GREGG 4-5

AECAG4-5TN

AECAG4-5TNZ

DR. MOPPER COMPOSITE SERIES



8A LONG CARVER

 AECA8ALTN

 AECA8ALTNZ



8A CARVER

 AECABATN

 AECABATNZ



INTERPROXIMAL LONG CARVER

 AECAIPCLTN

 AECAIPCLTNZ



INTERPROXIMAL THIN CARVER

 AECAIPCTTN

 AECAIPCTTNZ



SUPER PLUGGER M/L

 AEC/PMSPMLTN

 AEC/PMSPMLTNZ



SUPER PLUGGER S/M XP

 AEC/PMSPSMTN

 AEC/PMSPSMTNZ



26-30 BALL-FOOTBALL

AEB26-30BFTN

AEB26-30BFTNZ



M-1 BALL-BURNISHER

AEBMITN

AEBMITNZ

DR. COLONNA COMPOSITE SERIES



ACORN CARVER

 AEMCB21ATNZ



CONDENSER/PLUGGER 0

 AEMCC/P0TNZ



CONDENSER/PLUGGER 1

 AEMCC/P1TNZ



INTERPROXIMAL CARVER

 AEMCCAIPCTNZ



MICRO-SPOON EXCAVATOR 4

 AEMCEXC4TNZ




MICRO-SPOON EXCAVATOR 6

 AEMCEXC6TNZ

DR. BELVEDERE COMPOSITE CONTACT SERIES



5/16" - 7.9 MM **STAINLESS STEEL BELVEDERE DOUBLE END**



CONTACT FORMER REGULAR



AEECF



CONTACT FORMER SMALL



AEECFSM




CARVER SMALL COMPACT FORMER



AEEPCFSM


ENDO INSTRUMENTS



ROOT CANAL 1-3




AEE1-3P



ROOT CANAL 3-5



AEE3-5P



ROOT CANAL 5-7



AEE5-7P




ROOT CANAL 9-11




AEE9-11P



ENDO EXCAVATOR 31L



AEE31LEXC



ENDO EXPLORER DG 16



AEE16DG16



ENDO CARVER GLICK 1



AEE1G1CA

SPREADER INSTRUMENTS

0.36 mm

**SPREADER D11-21**
 AEED11-21S

0.23 mm

**SPREADER THIN D11T-21**
 AEED11T-21S

0.23 mm

**SPREADER THIN D11T-25**
 AEED11T-25S

WAXING INSTRUMENTS

**P.K. THOMAS 1**
 AEWPKT1
**P.K. THOMAS 2**
 AEWPKT2
**P.K. THOMAS 3**
 AEWPKT3
**WAX SPATULA 7**
 AEWS7

FILES

**HIRSCHFELD 3-7 FILE**
 AEFH3-7
Buccal/Lingual**HIRSCHFELD 5-11 FILE**
 AEFH5-11
Mesial/Distal**1/4" - 6.3MM STAINLESS STEEL***Both files compatible with 1/4 Stainless Steel handle.*

AUXILIARY PRODUCTS

49 COTTON PLIERS

50 INSTRUMENT CASSETTES

51 SHARPENING STONES AND ACCESSORIES

COTTON PLIERS



FLAGG 17 PLIER | AEPL17



COLLEGE 16 PLIER | AEPL4078



COLLEGE 16 LOCKING PLIER | AEPL4088

INSTRUMENT CASSETTES



CASSETTE 108 | AEVS108

Holds 8 instruments



CASSETTE 109/12P | AEVS109/12P

Holds 12 instruments



CASSETTE 110 | AEVS110

Holds 10 instruments



CASSETTE 114 | AEVS114

Holds 14 instruments

INSTRUMENT CASSETTES *(continued)*



CASSETTE 5 | AEOVSSL5R

Holds 5 instruments



CASSETTE 7 | AEOVSSL7

Holds 7 instruments




CASSETTE 8 | AEOVSWV8/8

Holds 8 instruments PLUS access area

SHARPENING STONES & ACCESSORIES



SIMPLY SHARP CERAMIC STONE | AESACC/F



Rounded Edge:
Use for Curettes

Notched Side:
Course Grit

Opposite Side:
Fine Grit

**ALL YOUR
SHARPENING
NEEDS IN ONE
EASY KIT**

SIMPLY SHARP CERAMIC STONE KIT | AESACC/FK

Sharpening dental instruments can be inconvenient, tedious and challenging. However, it is important to maintain sharp edges on your curettes and scalers. Our Simply Sharp Kit is designed with your convenience in mind. The double-sided stone offers you the choice of an extra-fine surface on one side and coarse grit on the other. The kit also includes a powerful 10x loupe for examining your edges. A sharpening test stick is included to conveniently test the cutting edge.

SHARPENING TECHNIQUE

1. Using the 10x magnification loupe, inspect cutting edges for defects.
2. Pick your method, sharpen your instrument and test (using the test stick).
3. Inspect again by using the magnification loupe for proper angle, edge contour and sharpness (a sharp edge will not reflect light).
4. Repeat steps 2 and 3. Make adjustments as needed until the desired edge is achieved.
5. Always check your instruments to maintain sharpness. We recommend a new instrument be kept for comparison.

SHARPENING STONES & ACCESSORIES *(continued)*



CERAMIC SUPER FINE STONE | AESACCS



DIAMOND STONE | AESADS



SHARPENING TEST STICK - 6 PACK | AESASTP *(shown)* | **SHARPENING TEST STICK** | AESASTS

To maintain optimal cutting edges on your instruments, American Eagle Instruments recommends routine sharpness testing by use of a test stick. To test for sharpness, simply stroke the test stick as you would during use. If the instrument “grabs,” it is sharp; if it does not, it should be sharpened or discarded.

DO NOT sharpen XP® Sharpen-Free instruments. Simply discard and replace.

[illegible]

[illegible]





American Eagle
INSTRUMENTS®

American Eagle Instruments, Inc. stands behind our entire product offering 100%. If you do not believe that American Eagle Instruments are of the finest quality, the unsatisfactory product may be returned within 30 days for exchange or credit. **This is our unconditional guarantee.**



6575 Butler Creek Road • Missoula, MT 59808 • 800-551-5172 • Fax: 406-549-7452 • www.am-eagle.com

YOUNG™

proudly made in the USA